# Safety Attribute Inspection (SAI) Data Collection Tool 3.1.1 Passenger Handling (OP)

#### **ELEMENT SUMMARY INFORMATION**

# Purpose of this Element (certificate holder's responsibility):

• To provide a safe environment during passenger handling operations.

### Objective (FAA oversight):

- To determine if the certificate holder's Passenger Handling process meets all applicable requirements of Title 14 of the Code of Federal Regulations (14 CFR) and FAA policies.
- To determine if the certificate holder's Passenger Handling process incorporates the safety attributes.
- To identify any shortfalls in the certificate holder's Passenger Handling process.

# **Specific Instructions:**

Intentionally left blank

#### SUPPLEMENTAL INFORMATION

# Specific Regulatory Requirements (SRRs):

SRRs:

119.43(b)

119.43(b)(1)

119.43(b)(2)

119.43(c)

121.135(a)(1)

121.135(b)(1)

121.135(b)(2)

121.135(b)(3)

121.306(a)

121.311(a)

121.311(a)(1)

121.311(a)(2)

121.311(b)

121.311(b)(1)

121.311(b)(2)(i)

121.311(b)(2)(ii)

121.311(b)(2)(ii)(A)

121.311(b)(2)(ii)(B)

121.311(b)(2)(ii)(B)(1)

121.311(b)(2)(ii)(B)(2)

121.311(b)(2)(ii)(C)

121.311(b)(2)(ii)(D)

121.311(b)(2)(iii)

121.311(b)(2)(iii)(A)

121.311(b)(2)(iii)(B)

121.311(b)(2)(iii)(C)

121.311(c)(1)

#### SRRs:

- 121.311(c)(2)(i)
- 121.311(c)(2)(ii)
- 121.311(c)(2)(iii)
- 121.311(c)(2)(iv)
- 121.311(c)(3)
- 121.311(e)
- 121.311(e)(3)
- 121.311(f)
- 121.311(h)
- 121.311(i)
- 121.317(a)
- 121.317(b)
- 121.317(c)
- 121.317(d)
- 121.317(e)
- 121.317(f)
- 121.317(g)
- 121.317(g)(1)
- 121.317(g)(2)
- 121.317(h)
- 121.317(i)
- 121.317(j)
- 121.317(k)
- 121.317(I)
- 121.327(c)
- 121.329(c)
- 121.331(c)
- 121.333(e)
- 121.340(a)
- 121.547(a) 121.547(a)(1)
- 121.547(a)(2)
- 121.547(a)(3)(i)
- 121.547(a)(3)(ii)(A)
- 121.547(a)(3)(ii)(B)
- 121.547(a)(3)(ii)(C)
- 121.547(a)(4)
- 121.547(b)
- 121.547(c)
- 121.547(c)(1)
- 121.547(c)(2)
- 121.547(c)(3)
- 121.547(c)(4)
- 121.547(c)(5)
- 121.547(c)(6)
- 121.548
- 121.548a
- 121.550
- 121.571(a)
- 121.571(a)(1)(i)
- 121.571(a)(1)(ii)
- 121.571(a)(1)(iii)
- 121.571(a)(1)(iv)
- 121.571(a)(1)(v)(A) 121.571(a)(1)(v)(B)
- 121.571(a)(1)(v)(C)
- 121.571(a)(1)(v)(D)

#### SRRs:

- 121.571(a)(2)
- 121.571(a)(3)
- 121.571(a)(4)
- 121.571(b)
- 121.571(c)
- 121.573(a)
- 121.573(b)
- 121.573(c)
- 121.573(d)
- 121.574(a)
- 121.574(a)(1)(i)
- 121.574(a)(1)(ii)
- 121.574(a)(1)(iii)
- 121.574(a)(1)(iv)
- 121.574(a)(1)(v)
- 121.574(a)(1)(vi) 121.574(a)(1)(vii)
- 121.574(a)(2)
- 121.574(a)(3)(i)
- 121.574(a)(3)(ii)
- 121.574(a)(4)
- 121.574(a)(5)
- 121.574(a)(6)
- 121.574(a)(7)
- 121.574(b)
- 121.574(c)
- 121.575(a)
- 121.575(b)
- 121.575(b)(1)
- 121.575(b)(2)
- 121.575(b)(3)
- 121.575(c)
- 121.575(d)
- 121.583(a)
- 121.583(c)
- 121.583(d)
- 121.583(e)
- 121.586(a)
- 121.586(b) 121.586(c)
- 121.586(d)
- A.048b
- A.048c(1)
- A.522f
- A.522i
- A.522i(1)
- A.522i(2)
- A.522i(3)
- A.522i(4)
- A.522i(5) A.522j(1)
- A.522j(2)
- A.522j(2)(a)
- A.522j(2)(b)
- A.522j(2)(c)
- A.522j(2)(d)
- A.522j(4)(a)

#### SRRs:

SFAR 106.3(a)(1) SFAR 106.3(a)(2) SFAR 106.3(a)(3)(i) SFAR 106.3(a)(3)(ii) SFAR 106.3(a)(4) SFAR 106.3(a)(5) SFAR 106.3(b)(1) SFAR 106.3(b)(2) SFAR 106.3(b)(3)(ii) SFAR 106.3(b)(3)(iii) SFAR 106.3(b)(3)(iiii) SFAR 106.3(b)(4) SFAR 106.3(b)(5) SFAR 106.3(b)(6)

# Related CFRs & FAA Policy/Guidance:

Related CFRs:

Intentionally left blank

# • FAA Policy/Guidance:

FAA Order 8900.1, Volume 3, Chapter 23, Section 4
FAA Order 8900.1, Volume 3, Chapter 23, Section 5
FAA Order 8900.1, Volume 3, Chapter 23, Section 6
FAA Order 8900.1, Volume 3, Chapter 33, Section 6
FAA Order 8900.1, Volume 14, Chapter 2, Section 1
AC 91-62A
AC 91-69A
AC 120-32
AC 120-87A
AC 121-24C
AC 121-35
AC 121-36

# **SAI Section 1 - Procedures Attribute**

Objective: Procedures, instructions, and information are

documented methods for accomplishing a process. The certificate holder's policies should establish their compliance posture. Policies may be stand-alone statements, or they may be imbedded within procedures, instructions, or information regarding a particular regulatory requirement. The questions in this section of the data collection tool (DCT) are designed to assist the inspector in determining if the certificate holder has documented or prescribed methods of accomplishing the process requirements that provide answers to the associated questions regarding who, what, when, where, and how. This section contains policy questions, procedural

questions, and instructional or informational questions pertaining to various types of certificate holder requirements such as actions, prohibitions, or resources (i.e., personnel, facilities, equipment, technical data, etc.).

uala	uata, etc.).		
Tasl	Tasks		
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Review the information listed in the Supplemental Information section of this DCT.		
2.	Review the duties and responsibilities for management and other personnel identified by the certificate holder who accomplish the Passenger Handling process.		
3.	Review the certificate holder's Passenger Handling process to ensure it contains policies, procedures, instructions and information necessary for personnel to perform their duties and responsibilities with a high degree of safety.		

Questi	ons	
	To meet this objective, the inspector must answer the following questions:	
1.	Does the certificate holder's Passenger Handling process meet the specific regulatory and FAA policy requirements:	
1.1.	Does the certificate holder's manual contain procedures to ensure that all passengers are orally briefed by the appropriate crewmember before each takeoff on the:	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has procedures to insure that all passengers are orally briefed by a responsible crewmember and that those procedures are describe in its manual. Sources: 121.571(c)</li> </ol>	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has procedures describing how oral briefings will be conducted.</li> </ol>	
	Sources: 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.1.1	Smoking requirements identified in 14 CFR part 121, section 121.571(a)(1)(i)?	☐ Yes ☐ No, Explain
	SRRs: 121.571(a)(1)(i); 121.571(c)	☐ Not Applicable
	Related Design JTIs:	
	Check that the Certificate Holder's manual contains procedures how before each takeoff, passengers shall be orally briefed and the briefing will include a statement that passengers shall comply with Federal.	

	Aviation Regulations and crewmember instructions regarding compliance with the following: Lighted passenger information signs, Posted Placards, Keeping seatbelts fastened while the "Fasten Seatbelt" sign is lighted, No smoking in any lavatory, Areas designated for safety purposes as No Smoking areas, No smoking while the No Smoking sign is lighted or No Smoking placards are posted, No tampering with, disabling or destroying any smoke detector installed in any airplane lavatory, and When, where, and under what conditions smoking is prohibited.  Sources: 121.571(a)(1)(i); 121.571(a)(1)(iii); 121.571(c)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.1.2	Location of emergency exits?	Yes
	SRRs: 121.571(a)(1)(ii); 121.571(c)	☐ No, Explain
	Related Design JTIs:	□ Not Applicable
	<ol> <li>Check that the Certificate Holder's manual contains procedures to orally brief passengers before each takeoff on the location of emergency exits.</li> </ol>	
	Sources: 121.571(a)(1)(ii); 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.1.3	Use of safety belts and other instructions as required by 14 CFR part 121, section 121.571(a)(1)(iii)?  SRRs: 121.571(a)(1)(iii); 121.571(c)	☐ Yes ☐ No, Explain ☐ Not Applicable
	<ol> <li>Related Design JTIs:</li> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to advise passengers in the preflight briefing that passengers should to keep their seatbelts fastened in flight except when leaving their seats.</li> </ol>	
	Sources: 121.135(a)(1); 121.571(a)(1)(iii); 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	2. Check that the Certificate Holder's manual contains procedures how before each takeoff, passengers shall be orally briefed and the briefing will include a statement that passengers shall comply with Federal Aviation Regulations and crewmember instructions regarding compliance with the following: Lighted passenger information signs, Posted Placards, Keeping seatbelts fastened while the "Fasten Seatbelt" sign is lighted, No smoking in any lavatory, Areas designated for safety purposes as No Smoking areas, No smoking while the No Smoking sign is lighted or No Smoking placards are posted, No tampering with, disabling or destroying any smoke detector installed in any airplane lavatory, and When, where, and under what conditions smoking is prohibited.	
	Sources: 121.571(a)(1)(i); 121.571(a)(1)(iii); 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)  3. Check that the Certificate Holder's manual contains procedures to	
	before each takeoff, orally brief each passenger on the use of seatbelts, instructions on how to fasten and unfasten, when, where and under what conditions the safety belt must be fastened.	
	Sources: 121.571(a)(1)(iii); 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)  4. Check that the Certificate Holder's manual contains procedures to	
l	4. OHECK MALTHE CERMICALE FIGURE 5 MAINTAIN CONTAINS DIOCEGUIES TO	

	Regulations require passenger information signs and crewmer safety belts.  Sources: 121.571(a)(1)(iii); 12	a statement that the Federal Aviation compliance with lighted passenger nber instructions concerning the use of 1.571(c) P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.1.4	Location and use of any required emerg	gency flotation means?	Yes
	SRRs: 121.571(a)(1)(iv); 121.571(c)		☐ No, Explain
	Related Design JTIs:		☐ Not Applicable
		er's manual system has procedures to ore each takeoff, on the location and official forms.	
	Sources: 121.571(a)(1)(iv); 12	1.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(O	P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.2.	Does the certificate holder's manual co operations that do not use a flight atten by the appropriate crewmember before required by 14 CFR part 121, section 1	dant, all passengers are orally briefed each takeoff on the information 21.571(a)(1)(v)(A-D)?	☐ Yes ☐ No, Explain ☐ Not Applicable
	SRRs: 121.571(a)(1)(v)(A); 121.571(a)(121.571(a)(1)(v)(D); 121.571(c)	(1)(v)(B); 121.571(a)(1)(v)(C);	
	Related Design JTIs:		
	insure that all passengers are of	er's manual system has procedures to orally briefed by a responsible ocedures are describe in its manual.	
	Sources: 121.571(c)		
		P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	orally brief each passenger, be not use flight attendants, on the position before takeoff and land	_	
	Sources: 121.571(a)(1)(v)(A);		
		P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		er's manual system has procedures to ach takeoff, on operations that do not cation of survival equipment.	
	Sources: 121.571(a)(1)(v)(B);	121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(O	P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	attendants and on flights which passenger is briefed on the nor	eoff, on operations that do not use flight operate above 12,000 MSL, each mal and emergency use of oxygen.	
	Sources: 121.571(a)(1)(v)(C);		
	, , ,	P); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	before each takeoff, on operation	er's manual system has procedures to ons that do not use flight attendants, the location and operation of fire	
	Sources: 121.571(a)(1)(v)(D);	121.571(c)	

		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	6.	Check that the Certificate Holder's manual system has procedures	
		describing how oral briefings will be conducted.	
		Sources: 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.3.	each ta immed passer seatbe	he certificate holder's manual contain procedures to ensure that after akeoff all passengers are orally briefed by the appropriate crewmember, liately before or immediately after turning the seatbelt sign off, that needs should keep their seatbelts fastened, while seated, even when the lit sign is off?	Yes No, Explain Not Applicable
		121.571(a)(2); 121.571(c)	
		d Design JTIs:	
	1.	Check that the Certificate Holder's manual system has procedures to insure that all passengers are orally briefed by a responsible crewmember and that those procedures are describe in its manual. Sources: 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	2.	Check that the Certificate Holder's manual contains procedures to, after each takeoff, immediately before or immediately after turning the seat belt sign off, make an announcement that passengers should keep their seat belts fastened, while seated, even when the seat belt sign is off.	
		Sources: 121.571(a)(2); 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	3.	Check that the Certificate Holder's manual system has procedures describing how oral briefings will be conducted.	
		Sources: 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.4.	crewm section person	he certificate holder's manual contain procedures for a required ember to give the individual briefing required by 14 CFR part 121, in 121.571(a)(3), to each person who may need the assistance of another to move quickly to an exit in the event of an emergency?	Yes No, Explain Not Applicable
		121.571(a)(3); 121.571(a)(4); 121.571(c)	
		d Design JTIs:	
	1.	Check that the Certificate Holder's manual system has procedures to insure that all passengers are orally briefed by a responsible crewmember and that those procedures are describe in its manual.	
		Sources: 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	2.	Check that the Certificate Holder's manual contains procedures to, before each takeoff, have a required crewmember assigned to the flight conduct an individual briefing of each person who may need the assistance of another person to move expeditiously to an exit in the event of an emergency.	
		Sources: 121.571(a)(3); 121.571(c)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	3.	Check that the Certificate Holder's manual contains procedures to, before each takeoff, have a required crewmember brief each special handling person and his attendant, if any, on: The routes to each	

	appropriate exit, the most appropriate time to begin moving to an exit, ask the most appropriate manner of assisting the person so as to prevent pain and further injury in the event of an emergency. This briefing is not required if the person has been given the briefing on a previous leg of a flight in the same aircraft if the crewmembers on duty have been advised as to the most appropriate manner of assisting the person so as to prevent pain and further injury.  Sources: 121.571(a)(3)(i); 121.571(a)(3)(ii); 121.571(a)(4); 121.571(c)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)  4. Check that the Certificate Holder's manual system has procedures	
	describing how oral briefings will be conducted.  Sources: 121.571(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.5.	Does the certificate holder's Passenger Handling process have printed cards supplementing the oral briefing and containing the items identified in 14 CFR part 121, section 121.571(b)?  SRRs: 121.571(b)  Related Design JTIs:	Yes No, Explain Not Applicable
	<ol> <li>The Certificate Holder's manual system has printed cards supplementing the oral briefing which contain: Diagrams of the emergency exits, Methods of operating the emergency exits, Other instructions necessary for use of emergency equipment.         Sources: 121.571(b)(1); 121.571(b)(2)         Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)     </li> </ol>	
1.6.	Does the certificate holder's Passenger Handling process contain instructions and information to carry, in convenient locations on each airplane for the use of each passenger, printed cards supplementing the oral briefing?  SRRs: 121.135(a)(1); 121.571(b)  Related Design JTIs:	Yes No, Explain Not Applicable
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to ensure that on each passenger-carrying airplane, printed cards supplementing the oral briefing are located in convenient locations for passenger use. Each required card must contain information pertinent only to the type and model airplane used for that flight.</li> </ol>	
	Sources: 121.135(a)(1); 121.571(b) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.7.	Does the certificate holder's manual contain procedures to ensure that in extended overwater operations:	
1.7.1	The appropriate crewmember orally briefs all passengers on the location and operation of life preservers, life rafts, and other flotation means, including a demonstration of the method of donning and inflating a life preserver?	Yes No, Explain Not Applicable
	SRRs: 121.573(a); 121.573(b)	
	Related Design JTIs:  1. Check that the Certificate Holder's manual system has procedures to	
	ensure that when operating an airplane in extended overwater operations, all passengers are orally briefed by the responsible	

	crewmember on the location and operation of life preservers, life rafts, and other flotation means, including a demonstration of the method of donning and inflating a life preserver.  Sources: 121.573(a); 121.573(b)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)  Check that the Certificate Holder's manual system has procedures to ensure that it has described in its manual the procedures to be followed in extended overwater briefings.  Sources: 121.573(b)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.7.2	If the airplane proceeds directly over water after takeoff, the required briefing is done before takeoff?	Yes
	SRRs: 121.573(b); 121.573(c)	<ul><li>No, Explain</li><li>Not Applicable</li></ul>
	Related Design JTIs:	Пистиринавис
	Check that the Certificate Holder's manual system has procedures to	
	ensure that it has described in its manual the procedures to be followed in extended overwater briefings.	
	Sources: 121.573(b)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has procedures that when conducting overwater operations, if the airplane proceeds directly over water after takeoff, the overwater briefing must be done before takeoff.</li> </ol>	
	Sources: 121.135(b)(10); 121.573(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.7.3	If the airplane does not proceed directly over water after takeoff, the entire briefing required by 14 CFR part 121, section 121.573(a), is given before reaching the overwater part of the flight?	☐ Yes ☐ No, Explain ☐ Not Applicable
	SRRs: 121.573(b); 121.573(d)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has procedures to ensure that it has described in its manual the procedures to be followed in extended overwater briefings.</li> <li>Sources: 121.573(b)</li> </ol>	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has procedures that when conducting overwater operations, if the airplane does not proceed directly over water after takeoff, no part of the overwater briefing has to be given before takeoff, but the entire briefing must be given before reaching the overwater part of the flight.         Sources: 121.135(b)(10); 121.573(d)         Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)     </li> </ol>	
		<u> </u>
1.8.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit:	
1.8.1	Any person from drinking any alcoholic beverage onboard an aircraft unless the certificate holder has served that beverage to him/her?	☐ Yes ☐ No, Explain

	SRRs: 121.135(a)(1); 121.575(a)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not allow any person to drink any alcoholic beverage aboard an aircraft unless the carrier has served that beverage to him.</li> </ol>	
	Sources: 121.135(a)(1); 121.575(a)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.8.2	Serving any alcoholic beverage to any person prohibited by 14 CFR part 121, section 121.575(b)(1-3)?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.575(b)(1); 121.575(b)(2); 121.575(b)(3)	☐ Not Applicable
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not serve any alcoholic beverages to any person, aboard any of its aircraft, who appears to be intoxicated.</li> </ol>	
	Sources: 121.135(a)(1); 121.575(b)(1)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not serve any alcoholic beverages to any person aboard any of its aircraft who is escorting a person, or is being escorted.</li> </ol>	
	Sources: 121.135(a)(1); 121.575(b)(2)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP); 7.1.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not serve any alcoholic beverage to any person aboard any of its aircraft who has a deadly or dangerous weapon accessible to him while aboard the aircraft.</li> </ol>	
	Sources: 121.135(a)(1); 121.575(b)(3)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.9.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit any person from boarding any of its aircraft if that person appears to be intoxicated?	Yes No, Explain
	SRRs: 121.135(a)(1); 121.575(c)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not allow any person to board any of its aircraft if that person appears to be intoxicated.</li> </ol>	
	Sources: 121.135(a)(1); 121.575(c)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.10.	Does the certificate holder's Passenger Handling process contain instructions and information to report to the Administrator within five days after an incident the refusal of any person to comply with 14 CFR part 121, section 121.575(a), or any disturbance caused by a person who appears to be intoxicated onboard any of its aircraft?  SRRs: 121.135(a)(1); 121.575(d)	☐ Yes ☐ No, Explain
	Related Design JTIs:	
	Notated Dough of to.	

	1.	Check that the Certificate Holder's manual system has information and instructions to personnel to, within five days after the incident, report to the Administrator the refusal of any person to cease drinking from a source of alcohol they brought on board, or of any disturbance caused by a person who appears to be intoxicated aboard any of its aircraft.  Sources: 121.135(a)(1); 121.575(d)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.11.	to meet reasona the ass emerge	•	Yes No, Explain Not Applicable
	SRRs:	121.586(b); 121.586(c); 121.586(d); 121.586(a)	
	Related	d Design JTIs:	
	1.	Check that the Certificate Holder's manual system has information and instructions to personnel that it may not refuse transportation to a passenger on the basis that: The passenger may need the assistance of another person to move expeditiously to an exit in the event of an emergency or his transportation would or might be harmful to safety, unless the passenger cannot comply with the carrier's established procedures or fails to comply with reasonable notice requirements.	
		Sources: 121.135(a)(1); 121.586(a)(1); 121.586(a)(2)(i);	
		121.586(a)(2)(ii)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
	2.	Check that the Certificate Holder's manual system has information and instructions to personnel to provide the certificate-holding district office with a copy of each procedure it establishes regarding its authority to refuse transportation to a passenger needing assistance.  Sources: 121.135(a)(1); 121.586(b)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.6(OP)	
	3.	Check that the Certificate Holder's manual system has procedures that whenever the Administrator finds that revisions in the procedures in its authority to refuse transportation are necessary in the interest of safety or in the public interest, the Certificate Holder, after notification by the Administrator, shall make those revisions in its procedures. Within 30 days after the Certificate Holder receives such notice, it may file a petition to reconsider the notice with the certificate-holding district office. The filing of a petition to reconsider stays the notice pending a decision by the Administrator. However, if the Administrator finds that there is an emergency that requires immediate action in the interest of safety in air commerce, he may, upon a statement of the reasons, require a change effective without stay.  **Sources: 121.586(c); 121.586(d)** **Interfaces: 3.1.4(OP)**	
	4.	Check that the Certificate Holder's manual system has information and instructions to personnel to make available to the public at each airport it serves a copy of each procedure it establishes in regards to its authority to refuse transportation to a passenger needing assistance.  Sources: 121.135(a)(1); 121.586(d)  Interfaces: 4.2.6(OP)	

1.12.	If the aircraft is equipped with lighted "Fasten Seat Belt" signs, does the certificate holder's Passenger Handling process contain instructions and information that the Fasten Seat Belt sign will be turned on during any movement on the surface, for each takeoff, for each landing, and at any other time considered necessary by the pilot in command (PIC)?  SRRs: 121.135(a)(1); 121.317(b)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel to turn on the passenger seatbelt signs during any movement on the surface, for each takeoff and landing, and at any other time considered necessary by the pilot.  Sources: 121.135(a)(1); 121.317(b)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	Yes No, Explain Not Applicable
1.13.	If the certificate holder conducts an operation in which smoking is not prohibited by 14 CFR part 121, section 121.317(c), does the certificate holder's Passenger Handling process contain instructions and information that the "No Smoking" sign must be turned on during any movement on the surface, for each takeoff, for each landing, and at any other time considered necessary by the PIC?  SRRs: 121.135(a)(1); 121.317(j)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that, on flight segments other than those on which smoking is prohibited, the "No Smoking" sign must be turned on during any movement on the surface, for each takeoff/landing, and for any other time considered necessary by the Pilot in Command.  Sources: 121.135(a)(1); 121.317(j)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.14.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit the operation of an airplane on a flight on which smoking is prohibited by 14 CFR part 252 unless the provisions of part 121, section 121.317(c), are met?  SRRs: 121.135(a)(1); 121.317(c)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that on non-smoking flights, either the "No-Smoking" passenger information signs are to be lighted or one or more "No-Smoking" placards are to be posted during the entire flight.  Sources: 121.135(a)(1); 121.317(c)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)  2. Check that the Certificate Holder's manual system has information that if both the lighted "No-Smoking" signs and the placards are used, the signs must remain lighted during the entire flight segment.  Sources: 121.135(a)(1); 121.317(c)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.15.	Does the certificate holder's Passenger Handling process contain instructions and information for at least one legible sign or placard that reads "Fasten Seat	Yes

	Belt While Seated" to be visible from each passenger seat during passenger-carrying operations?  SRRs: 121.135(a)(1); 121.317(d)	☐ No, Explain ☐ Not Applicable
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel that no person may operate a passenger- carrying airplane unless at least one legible sign or placard that reads "Fasten seat belt while seated" is visible from each passenger seat.</li> </ol>	
	Sources: 121.135(a)(1); 121.317(d)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.16.	Does the certificate holder's Passenger Handling process contain instructions and information for there to be in each lavatory a sign or placard that reads: "Federal law provides for a penalty of up to \$2,000 for tampering with the smoke detector installed in this lavatory"?	☐ Yes ☐ No, Explain ☐ Not Applicable
	SRRs: 121.135(a)(1); 121.317(e)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information to personnel that no person may operate an airplane unless there is in each lavatory a sign or placard that reads: "Federal Law Provides for a Penalty up to \$2,000 (\$2,200) for tampering with the smoke detector installed in this lavatory."</li> </ol>	
	Sources: 121.135(a)(1); 121.317(e)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.17	Does the certificate holder s Passenger Handling process include the instructions and information necessary for personnel to ensure each person who occupies a seat or berth has his or her safety belt fastened and keeps it fastened while the Fasten Seat Belt sign is lighted?	Yes No, Explain
	SRRs: 121.135(a)(1); 121.317(f)	
1.18.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit a person from smoking while the "No Smoking" sign is lighted or while "No Smoking" placards are posted except during: SRRs: 121.135(a)(1); 121.317(g)	
1.18.1	Supplemental operations as provided in 14 CFR part 121, section	Yes
	121.317(g)(1)?	☐ No, Explain
	SRRs: 121.135(a)(1); 121.317(g)(1)	☐ Not Applicable
1.18.2	Certain intrastate domestic operations as provided in 14 CFR part 121, section 121.317(g)(2)?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.317(g)(2)	☐ Not Applicable
1.19.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit any person from:	
1.19.1	Smoking in any airplane lavatory?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.317(h)	Not Applicable
1.19.2	Tampering with, disabling, or destroying any smoke detector installed in an airplane lavatory?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.317(i)	☐ Not Applicable

1.20	Does the certificate holder's Passenger Handling process include the instructions and information necessary for personnel to ensure each passenger complies with instructions given to them by a crewmember regarding: SRRs: 121.135(a)(1); 121.317(k)	
1.20.1	Fastening their seat belt while the Fasten Seat Belt sign is lighted? SRRs: 121.317(f)	Yes No, Explain Not Applicable
1.20.2	Smoking while the No Smoking light is lighted or No Smoking placards are posted?  SRRs: 121.317(g)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.20.3	No smoking in the airplane lavatory? SRRs: 121.317(h)	Yes No, Explain Not Applicable
1.21.	Does a certificate holder operating a nontransport category airplane type certificated after December 31,1964, and manufactured before December 20, 1997, have instructions and information in their Passenger Handling process to meet the requirements of 14 CFR part 121, section 121.317(I)?  SRRs: 121.135(a)(1); 121.317(I)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information to personnel that on non-transport category airplanes manufactured before December 20, 1997 and type certificated after December 31, 1964 the airplane must be equipped with a least one "fasten seat belt" placard legible to each person seated in the cabin and a crewmember must orally instruct the passengers to fasten their seatbelts during movement on the surface, for each takeoff and each landing, and at any other time considered necessary by the pilot in command.  Sources: 121.135(a)(1); 121.317(I)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	Yes No, Explain Not Applicable
1.22.	Does the certificate holder's Passenger Handling process contain instructions and information to allow a passenger to carry and operate equipment for the storage, generation, or dispensing of oxygen in accordance with 14 CFR part 121, section 121.574?  SRRs: 121.135(a)(1); 121.574(a)(1)(i); 121.574(a)(1)(ii); 121.574(a)(1)(iii); 121.574(a)(1)(vii); 121.574(a)(1)(vii); 121.574(a)(2); 121.574(a)(3)(i); 121.574(a)(3)(ii); 121.574(a)(4); 121.574(a)(5); 121.574(a)(6); 121.574(a)(7)  Related Design JTIs:  1. Check that he Certificate Holder's manual system has information and instructions to personnel to allow a passenger to carry and operate equipment for the storage, generation, or dispensing of medical oxygen when that equipment is furnished by the Certificate Holder.  Sources: 121.135(a)(1); 121.574(a)(1)(i); Reservations are a part of the interface for this element  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)  2. Check that the Certificate Holder's manual system has information and instructions to personnel to appropriately secure medical oxygen equipment.  Sources: 121.135(a)(1); 121.574(a)(1)(vii)	☐ Yes ☐ No, Explain ☐ Not Applicable

	<ul> <li>Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3. 3.1.3(OP); 4.2.4(OP)</li> <li>3. Check that the Certificate Holder's manual system has inform: instructions to personnel that when oxygen is stored in the for compressed gas the pressure in any oxygen cylinder may not the rated cylinder pressure.</li> <li>Sources: 121.135(a)(1); 121.574(a)(3)(ii)</li> <li>Interfaces: 1.1.1(AW); 1.3.1(AW); 1.3.2(AW); 1.3.10(AW); 3.1.12(OP)</li> <li>4. Check that the Certificate Holder's manual system has inform: instructions to personnel that each person using medical oxyghave a medical need to use it evidenced by a written statemet kept in that person's possession, signed by a licensed physicis specifies the maximum quantity of oxygen needed each hour maximum flow rate needed for the pressure altitude corresporthe pressure in the cabin of the airplane under normal operatic conditions.</li> <li>Sources: 121.135(a)(1); 121.574(a)(4); Reservations are a painterface for this element</li> <li>Interfaces: 1.3.1(AW); 1.3.14(AW); 3.1.3(OP); 4.2.6(OP)</li> <li>5. Check that the Certificate Holder's manual system has inform: instructions to personnel that when a physician's statement is the total quantity of oxygen carried is equal to the maximum qoxygen needed each hour, as specified in the physician's statemultiplied by the number of hours used to compute the amour airplane fuel required by this part.</li> <li>Sources: 121.135(a)(1); 121.574(a)(5)</li> <li>Interfaces: 1.3.14(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.4.2.4(OP); 4.2.6(OP)</li> <li>6. Check that the Certificate Holder's manual system has inform: instructions to personnel to advise the pilot in command when equipment is on board, and when it is intended to be used.</li> <li>Sources: 121.135(a)(1); 121.574(a)(6)</li> <li>Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)</li> </ul>	nation and rm of a t exceed  3.1.3(OP); nation and gen must ent to be ian which and the nding to ing art of the  nation and s required, quantity of tement, ent of  3.1.3(OP); nation and en oxygen
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2	nation and s stowed, restrict or of the
1.23.	Does the certificate holder's Passenger Handling process contain instrand information to prohibit any person from:	tructions
1.23.1	accordance with 14 CFR part 121, section 121.574(a)?  SRRs: 121.135(a)(1); 121.574(b)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information.	□ No, Explain □ Not Applicable
	instructions to personnel that no person is allowed to smoke v	within 10

	feet of oxygen storage and dispensing equipment carried onboard for passenger medical use.  Sources: 121.135(a)(1); 121.574(b)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.23.2	Connecting or disconnecting oxygen dispensing equipment to or from a gaseous oxygen cylinder while any passenger is onboard the airplane?  SRRs: 121.135(a)(1); 121.574(c)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel to not allow any person to connect or disconnect medical oxygen dispensing equipment, to or from a gaseous oxygen cylinder while any passenger is aboard the airplane.  Sources: 121.135(a)(1); 121.574(c)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.24.	If the certificate holder permits use of portable oxygen concentrator systems aboard the aircraft, does the certificate holder's Passenger Handling process contain instructions and information that these units may be carried on and used by the passenger provided the aircraft operator ensures that the conditions as detailed in SFAR 106, Section 3(a) are satisfied?  SRRs: SFAR 106.3(a)(1); SFAR 106.3(a)(2); SFAR 106.3(a)(3)(i); SFAR 106.3(a)(6)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.25.	If the certificate holder permits use of portable oxygen concentrator systems aboard the aircraft, does the certificate holder's Passenger Handling process contain instructions and information regarding the conditions that the passenger must comply with in order to use the device aboard the aircraft as detailed in SFAR 106, Section 3(b)?  SRRs: SFAR 106.3(b)(1); SFAR 106.3(b)(2); SFAR 106.3(b)(3)(i); SFAR 106.3(b)(5); SFAR 106.3(b)(6)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.26.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit any person from operating an airplane unless there is available during takeoff, en route flight, and landing:  SRRs: 121.135(a)(1); 121.311(a)	
1.26.1	An approved seat or berth for each person onboard who has reached his/her second birthday?  SRRs: 121.311(a)(1)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel to not allow an airplane to be operated unless each passenger who has reached his second birthday has an approved seat or berth during takeoff, enroute flight and landing.  Sources: 121.135(a)(1); 121.311(a)(1)  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	☐ Yes ☐ No, Explain
1.26.2	An approved safety belt for separate use by each person onboard who has reached his/her second birthday, except as provided by 14 CFR part 121, section 121.311?	☐ Yes ☐ No, Explain

	SRRs: 121.311(a)(2)	
	Related Design JTIs:	
	1. Check that the Certificate Holder's manual system has information and instructions to personnel that each person on board the airplane who has reached his/her second birthday must have a separate approved seat or berth, and an approved safety belt, during movement on the surface, during takeoff, enroute flight, and landing; except that two persons occupying a berth or multiple lounge or divan seat may share one approved safety belt during enroute flight only.  Sources: 121.135(a)(1); 121.311(a)(2); 121.311(b)  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	
1.27.	Does the certificate holder's Passenger Handling process contain instructions and information to ensure that, except as provided in 14 CFR part 121, section 121.311(b), each person onboard occupies an approved seat or berth with a separate safety belt properly secured about him/her during movement on the surface, takeoff, and landing?	Yes No, Explain
	SRRs: 121.135(a)(1); 121.311(b)  Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel that each person on board the airplane who has reached his/her second birthday must have a separate approved seat or berth, and an approved safety belt, during movement on the surface, during takeoff, enroute flight, and landing; except that two persons occupying a berth or multiple lounge or divan seat may share one approved safety belt during enroute flight only.</li> </ol>	
	Sources: 121.135(a)(1); 121.311(a)(2); 121.311(b)	
	Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	
1.28.	Does the certificate holder's Passenger Handling process contain instructions and information to prohibit more than one person who has reached his/her second birthday from using a single safety belt except as provided in 14 CFR part 121, section 121.311(b)?  SRRs: 121.135(a)(1); 121.311(b)  Related Design JTIs:	Yes No, Explain
	1. Check that the Certificate Holder's manual system has information and instructions to personnel that each person on board the airplane who has reached his/her second birthday must have a separate approved seat or berth, and an approved safety belt, during movement on the surface, during takeoff, enroute flight, and landing; except that two persons occupying a berth or multiple lounge or divan seat may share one approved safety belt during enroute flight only.  Sources: 121.135(a)(1); 121.311(a)(2); 121.311(b)  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	
1.29.	Does the certificate holder's Passenger Handling process contain instructions and information to allow a child to be held by an adult who is occupying an approved seat or berth during taxi, takeoff, and landing, provided the child has not reached his/her second birthday and does not occupy or use any	Yes No, Explain

	restraining device?	
	SRRs: 121.135(a)(1); 121.311(b)(1)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel that children who have not reached their second birthday may be held by an adult provided the child does not occupy or use any restraining device during movement on the surface, during take-off and landing.</li> </ol>	
	Sources: 121.135(a)(1); 121.311(b)(1)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP)	
1.30.	Does the certificate holder's Passenger Handling process contain instructions and information to allow a child to occupy an approved child restraint system furnished by the certificate holder or one of the persons described in 14 CFR part 121, section 121.311(b)(2)(i), in accordance with the provisions of sections 121.311(b)(2)(i-ii)?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.311(b)(2)(i); 121.311(b)(2)(ii)	
	Related Design JTIs:	
	1. Check that the Certificate Holder's manual system has information and instructions to personnel to allow a child accompanied by an adult to occupy an approved child restraint system furnished by the adult or Certificate Holder, provided that adult attends to the child during flight.  Sources: 121.135(a)(1); 121.311(b)(2); 121.311(b)(2)(i)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	2. Check that the Certificate Holder's manual system has information and instructions to personnel to determine that a child restraint system is approved for use by checking for the following: (1) If manufactured to U.S. standards between January 1, 1981, and February 25, 1985 it must bear the following label, "This child restraint system conforms to all applicable Federal motor vehicle safety standards." If manufactured to U.S. standards after February 26, 1985, it must bear the following two labels: "This child restraint system conforms to all applicable Federal motor vehicle safety standards" and "THIS RESTRAINT IS CERTIFIED FOR USE IN MOTOR VEHICLES AND AIRCRAFT" in red lettering - OR - Seats without placards must bear either a label showing approval of a foreign government or a label showing that the seat was manufactured under the standards of the United Nations.  **Sources: 121.135(a)(1); 121.311(b)(2)(ii)(A); 121.311(b)(2)(ii)(B)(1); 121.311(b)(2)(iii)(B)(2); 121.311(b)(2)(iii)(C)  **Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
1.31.	Does the certificate holder's Passenger Handling process contain instructions and information that, except as provided in 14 CFR part 121, section 121.311(b)(2)(ii)(C)(3), notwithstanding any other provisions of this section, booster-type child restraint systems (as defined in Federal Motor Vehicle Safety Standard No. 213 (49 CFR 571.213)), vest- and harness-type child restraint systems, and lap child restraints are not approved for use in aircraft during takeoff, landing, or movement on the surface?  SRRs: 121.135(a)(1); 121.311(b)(2)(ii)(D); 121.311(c)(1)	☐ Yes ☐ No, Explain
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not allow a child to occupy booster-type</li> </ol>	

	child restraint systems, vest-and harness-type child restraint systems, or lap held child restraints during movement on the surface, take-off, and landing.  Sources: 121.135(a)(1); 121.311(b)(2)(ii)(D); 121.311(c)(1)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.32.	Does the certificate holder's Passenger Handling process contain instructions and information to allow a child to occupy an approved child restraint system provided the:  SRRs: 121.311(b)(2)(iii)	
1.32.1	Restraint system is properly secured to an approved forward-facing seat or berth?  SRRs: 121.311(b)(2)(iii)(A)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that an approved child restraint system must be properly secured to an approved forward-facing seat or berth during movement on the surface, takeoff, and landing.  Sources: 121.135(a)(1); 121.311(b)(2)(iii)(A)  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	Yes No, Explain
1.32.2	Child is properly secured in the restraint system?  SRRs: 121.311(b)(2)(iii)(B)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that a child must be properly secured in the approved restraint system and must not exceed the specified weight limit for the restraint system.  Sources: 121.135(a)(1); 121.311(b)(2)(iii)(B)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	☐ Yes ☐ No, Explain
1.32.3	Child does not exceed the specified weight limit for the restraint system?  SRRs: 121.311(b)(2)(iii)(B)  Related Design JTls:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that a child must be properly secured in the approved restraint system and must not exceed the specified weight limit for the restraint system.  Sources: 121.135(a)(1); 121.311(b)(2)(iii)(B)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	☐ Yes ☐ No, Explain
1.32.4	Restraint system bears the appropriate label(s)?  SRRs: 121.311(b)(2)(ii)(A); 121.311(b)(2)(ii)(B); 121.311(b)(2)(ii)(C); 121.311(b)(2)(iii)(C); 121.311(b)(2)(ii)(B)(1); 121.311(b)(2)(ii)(B)(2)  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel to determine that a child restraint system is approved for use by checking for the following: (1) If manufactured to	Yes No, Explain

must bear the following label, "This child restraint system conforms to all applicable Federal motor vehicle safety standards." If manufactured to U.S. standards after February 26, 1985, it must bear the following two labels: "This child restraint system conforms to all applicable Federal motor vehicle safety standards" and "THIS RESTRAINT IS CERTIFIED FOR USE IN MOTOR VEHICLES AND AIRCRAFT" in red lettering - OR - Seats without placards must bear either a label showing approval of a foreign government or a label showing that the seat was manufactured under the standards of the United Nations.  Sources: 121.135(a)(1); 121.311(b)(2)(ii)(A); 121.311(b)(2)(ii)(B)(1); 121.311(b)(2)(iii)(C) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	☐ Yes ☐ No, Explain
	☐ Yes ☐ No, Explain
1.35. Does the certificate holder's Passenger Handling process contain instructions	Yes

	and information to prohibit the airplane from taking off or landing unless each passenger seat back is in the upright position, except as provided in 14 CFR part 121, sections 121.311(e)(1-2)?	☐ No, Explain
	SRRs: 121.135(a)(1); 121.311(e)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to not allow an airplane to takeoff or land unless each passenger seatback is in the upright position.</li> </ol>	
	Sources: 121.135(a)(1); 121.311(e)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel that, when seatbacks are placed in other than the upright position for takeoff and landing, they may not obstruct access to emergency exits.</li> </ol>	
	Sources: 121.135(a)(1); 121.311(e)(1)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
	3. Check that the Certificate Holder's manual system has information and instructions to personnel that if aircraft cabin seats are used for cargo, or for persons unable to sit erect for medical reasons, the seatback cannot obstruct any passengers access to the aisle or to any emergency exit.	
	Sources: 121.135(a)(1); 121.311(e)(2)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
1.36.	On an airplane with no flight attendant, does the certificate holder's Passenger Handling process contain instructions and information to allow the flightcrew to takeoff or land as long as they instruct each passenger to place his/her seat back in the upright position for takeoff and landing?	☐ Yes ☐ No, Explain ☐ Not Applicable
	SRRs: 121.135(a)(1); 121.311(e)(3)	
	Related Design JTIs:	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel to have the flight crew instruct each passenger to place his or her seatback in the upright position for takeoff or landing on airplanes with no flight attendant.</li> </ol>	
	Sources: 121.135(a)(1); 121.135(a)(2); 121.311(e)(3)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.37.	Does the certificate holder's Passenger Handling process contain instructions and information to require each occupant of a seat equipped with a shoulder harness to secure himself/herself as required by 14 CFR part 121, section 121.311(h)?	Yes No, Explain
	SRRs: 121.135(a)(1); 121.311(h)	
	Related Design JTIs:	
	1. Check that the Certificate Holder's manual system has information and instructions to personnel that each occupant of a seat equipped with a shoulder harness or with a combined safety belt and shoulder harness must have the shoulder harness or combined safety belt and shoulder harness properly secured about that occupant during takeoff and landing, except that the shoulder harness that is not combined with a safety belt may be unfastened if the occupant cannot perform the	

	required duties.	
	Sources: 121.135(a)(1); 121.311(h)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.38.	Does the certificate holder's Passenger Handling process contain instructions and information to require the safety belt and shoulder harness at each unoccupied seat to be secured so as not to interfere with crewmembers in the performance of their duties or with the rapid egress of occupants in an emergency?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.311(i)	
1.39.	Does the certificate holder's Passenger Handling process contain instructions and information to give an inspector of the Federal Aviation Administration free and uninterrupted access to the pilot's compartment whenever that inspector is conducting an inspection and presents form FAA 110A to the PIC?	☐ Yes ☐ No, Explain
	SRRs: 121.135(a)(1); 121.548	
	Related Design JTIs:	
	1. Check that the Certificate Holder's manual system has information and instructions to personnel that when, in performing the duties of conducting an inspection, an inspector of the Federal Aviation Administration presents form FAA 110A, "Aviation Safety Inspector's Credential," to the pilot in command, the inspector must be given free and uninterrupted access to the pilot's compartment of that aircraft. Sources: 121.135(a)(1); 121.548	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	Interfaces. 2.1.2(AVV), 2.1.2(OF), 3.1.2(OF), 3.1.3(OF), 4.2.4(OF)	
1.40.	Does the certificate holder's Passenger Handling process contain instructions and information to, upon request and presentation of Secret Service credentials to the PIC, admit to the flight deck and permit to occupy an observer seat an agent of the Secret Service who is protecting a person onboard the aircraft and who considers it necessary to ride on the flight deck?  SRRs: 121.135(a)(1); 121.550  Related Design JTIs:  1. Check that the Certificate Holder's manual system has information and instructions to personnel that whenever an Agent of the Secret Service who is assigned the duty of protecting a person aboard an aircraft operated by a Certificate Holder considers it necessary in the performance of his duty to ride on the flight deck of the aircraft, he must, upon request and presentation of his Secret Service credentials to the pilot in command of the aircraft, be admitted to the flight deck and permitted to occupy an observer seat thereon.  Sources: 121.135(a)(1); 121.550  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	☐ Yes ☐ No, Explain
1.41.	Does the certificate holder s Passenger Handling process provide instructions and information that no person may admit any person to the flight deck of an aircraft unless in accordance with 14 CFR part 121, section 121.547? SRRs: 121.135(a)(1); 121.547(a)(1); 121.547(a)(2); 121.547(a)(3)(i); 121.547(a)(3)(ii)(A); 121.547(a)(3)(ii)(B); 121.547(a)(3)(ii)(C); 121.547(a)(4); 121.547(b); 121.547(c)(1); 121.547(c)(2); 121.547(c)(3); 121.547(c)(4); 121.547(c)(5); 121.547(c)(6); 121.547(a); 121.547(c)	☐ Yes ☐ No, Explain
1.42.	Does the certificate holder's Passenger Handling process contain instructions	Yes

	and information to give a DOD commercial air carrier evaluator free and uninterrupted access to the pilot's compartment whenever that evaluator is conducting an evaluation and presents form S&A 110B to the PIC?  SRRs: 121.135(a)(1); 121.548a	∐ No, Explain
1.43.	If applicable, does the certificate holder's manual contain procedures for the carriage of persons without compliance with the passenger-carrying requirements in accordance with 14 CFR part 121, section 121.583? SRRs: 121.583(a); 121.583(d); 121.583(e); 121.583(c) Related Design JTIs:	Yes No, Explain Not Applicable
	1. Check that the certificate holder's manual has procedures that the following persons but no others may be carried aboard the airplane without complying with the passenger-carrying airplane requirements: (1) A Crewmember, (2) A company employee, (3) An FAA air carrier inspector, a DOD commercial air carrier evaluator, or an authorized representative of the National Transportation Safety Board, who is performing official duties, (4) A person necessary for: The safety of the flight, The safe handling of animals, The safe handling of hazardous materials, The security of valuable or confidential cargo, The preservation of fragile or perishable cargo, Experiments on, or testing of, cargo containers or cargo handling devices, The operation of special equipment for loading or unloading cargo, The loading or unloading of outsize cargo, (5) Any of the above listed persons, when traveling to or from his assignment, (6) A person performing duty as an honor guard accompanying a shipment made by or under the authority of the United States, (7) A military courier, military route supervisor, military cargo contract coordinator, or a flight crewmember of another military cargo contract air carrier or commercial operator, carried by a military cargo contract air carrier or commercial operator in operations under a military cargo contract, if that carriage is specifically authorized by the appropriate armed forces, (8) A dependent of an employee of a Certificate Holder when traveling with that employee on company business to or from outlying stations not served by adequate regular passenger flights.  Sources: 121.583(a); 121.583(a)(1); 121.583(a)(2); 121.583(a)(3); 121.583(a)(4); 121.583(a)(5); 121.583(a)(6); 121.583(a)(7); 121.583(a)(8); 121.583(d)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 3.1.4(OP); 3.2.2(OP); 4.2.6(OP)	
	2. Check that the Certificate Holder's manual contains procedures that, when carrying passengers who do not have to comply with the passenger carrying requirements, it may not operate an airplane unless each person has unobstructed access from his seat to a regular or emergency exit.  Sources: 121.583(b)(1); 121.583(d)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)	
	3. Check that the Certificate Holder's manual has procedures how when	
	carrying passengers who do not have to comply with the passenger carrying requirements it may not operate an airplane unless the pilot in command has a means of notifying each person when smoking is prohibited and when safety belts must be fastened.  Sources: 121.583(b)(2); 121.583(d)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)	
	4. Check that the Certificate Holder's manual has procedures how, when carrying passengers who do not have to comply with the passenger	

		carrying requirements it may not operate an airplane unless the airplane has an approved seat with an approved safety belt for each person. The seat must be located so that the occupant is not in any position to interfere with the flight crewmembers performing their duties.  Sources: 121.583(b)(3); 121.583(d)  Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)	
	5.	Check that the Certificate Holder's manual system has procedures that when carrying passengers who do not have to comply with the passenger carrying requirements, before each takeoff, it shall ensure that all such persons have been orally briefed by the responsible crewmember on: (1) Smoking, (2) Use of seat belts, (3) Location and operation of emergency exits, (4) Use of oxygen and emergency equipment, and (5) For extended overwater operations, the location of life rafts, and the location and operation of life preservers including a demonstration of the method of donning and inflating a life preserver. Sources: 121.583(c)(1); 121.583(c)(2); 121.583(c)(3); 121.583(c)(4); 121.583(c)(5)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)	
	6.	Check that the Certificate Holder's manual system has procedures for the safe carriage of passengers who do not have to comply with the passenger-carrying requirements.  Sources: 121.583(d)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	7.	Check that the Certificate Holder's manual system has information and instructions to personnel to allow the pilot in command to authorize a passenger who does not have to comply with the passenger carrying requirements, admission to the crew compartment of the airplane.  Sources: 121.135(a)(1); 121.583(e)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.44.	and info passen SRRs:	ne certificate holder's Passenger Handling process contain instructions ormation to provide a supply of supplemental oxygen approved for ger safety as required by 14 CFR part 121? 121.135(a)(1); 121.331(c); 121.327(c); 121.329(c); 121.333(e)	☐ Yes ☐ No, Explain ☐ Not Applicable
	Related	Check that the Certificate Holder's manual system has information and instructions to personnel to provide a supply of supplemental oxygen for use in a reciprocating engine airplane, approved for passenger safety.  Sources: 121.135(a)(1); 121.327(c); 121.327(c)(1); 121.327(c)(2); 121.327(c)(3)	
		Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)	
	2.	Check that the Certificate Holder's manual system has information and instructions to personnel to provide a supply of supplemental oxygen in a turbine powered airplane, approved for passenger safety.	
		Sources: 121.135(a)(1); 121.329(c); 121.329(c)(1); 121.329(c)(2); 121.329(c)(3)	
		Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)	
	3.	Check that the Certificate Holder's manual system has information and instructions to personnel to provide supplemental oxygen for	

	pressurized-cabin airpl Sources: 121.135(a)(1) 121.331(c)(2)(i); 121.3 Interfaces: 1.1.1(AW); 4. Check thar the Certifical instructions to personn occupants supplement when operating turbine altitudes above 10,000 Sources: 121.135(a)(1) Interfaces: 1.1.1(AW); 3.1.3(OP); 4.2.4(OP) 5. Check that the Certification for first-aid treatment or require undiluted oxygen	1; 121.333(e); 121.333(e)(1); 121.333(e)(2) 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); ate Holder's manual system has information that, if occupants who for physiological reasons m ght en following descent from cabin pressure	
	the requirements of Se of the occupants for the cabin pressure altitude one person.  Sources: 121.135(a)(1)	evel 250, a supply of oxygen in accordance with c. 25.1443(d) must be provided for two percent e entire flight after cabin depressurization at s above 8,000 feet, but in no case to less than 1; 121.135(b)(26); 121.333(e)(3) 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)	
	instructions to personn oxygen dispensing unit provided, with a means Sources: 121.135(a)(1)	ate Holder's manual system has information and el that an appropriate number of acceptable is, but in no case less than two must be is for the cabin attendants to use this supply.  1); 121.333(e)(3)  2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
1.45.	and information to not allow use except for devices that have be the navigation or communication SRRs: 121.135(a)(1); 121.306(1). Related Design JTIs:  1. Check that the Certification instructions to personn devices on any aircraft determined to not cause communication system.  Sources: 121.135(a)(1);	ate Holder's manual system has information and el to not allow the use of portable electronic except for those devices that have been the interference with the navigation or of the aircraft.	Yes No, Explain
1.46.		assenger Handling process contain the approved ures for allowing persons eligible under 14 CFR o the flightdeck?	Yes No, Explain Not Applicable
1.47.	approved Cockpit Access Secu	048 operation specification describe the urity System (CASS), Flight Deck Access CASS/FDAR program and identify where in the	Yes No, Explain Not Applicable

	manual the approved applicable policies and procedures are? SRRs: A.048b	
1.48.	Does the certificate holder s manual include the policies and procedures for verifying the identity and eligibility of a person requesting access to the flightdeck?  SRRs: A.048c(1)	Yes No, Explain Not Applicable
1.49.	Does the certificate holder s Passenger Handling process contain approved procedures to ensure cabin occupants, other than non-ambulatory patients, are aided in recognizing emergency exits during an emergency evacuation to compensate for the shadows caused by the litters being in place, during aeromedical evacuation (AE) flights?  SRRs: A.522f	Yes No, Explain Not Applicable
1.50.	Does the certificate holder s Passenger Handling process include a Before Takeoff Passenger Briefing that describes the approved procedures for aiding ambulatory cabin occupants in recognizing emergency exits in shadows caused by litters during AE flights?  SRRs: A.522f	Yes No, Explain Not Applicable
1.51.	Does the certificate holder s Passenger Handling process contain instructions and information for medical crewmembers and flight attendants to carry flashlights for in-flight use to observe patients as necessary, during AE flights?	Yes No, Explain Not Applicable
	SRRs: 121.135(a)(1); A.522f	
1.52.	Does the certificate holder s Passenger Handling process contain coordination procedures used to ensure the safety of the Aeromedical evacuation Crewmembers (AECMs) who may need to attend to patients during flight (e.g., takeoff, cruise, and landing) when the fasten seatbelt sign has been illuminated, for flight attendants and AECMs?  SRRs: A.522i	Yes No, Explain Not Applicable
1.53.	Does the certificate holder s Passenger Handling process include instructions and information necessary for personnel to ensure that:  SRRs: A.522i	
1.53.1	Instructions are given to AECMs regarding coordination procedures before the first and subsequent AE flights?  SRRs: A.522i(1)	Yes No, Explain Not Applicable
1.53.2	AECMs are secured to litter stanchions (when possible) via a strap to reduce the risk of uncontrolled movement in the cabin? SRR: A522i(2) SRRs: A.522i(2)	Yes No, Explain Not Applicable
1.53.3	AECMs are seated whenever the seatbelt sign is illuminated, unless patients require immediate attention?  SRRs: A.522i(3)	Yes No, Explain Not Applicable
1.53.4	Public address announcements are made to inform patients and AECMs to return to their seats and fasten belts or straps whenever seatbelt lights are illuminated?  SRRs: A.522i(4)	Yes No, Explain Not Applicable
1.53.5	Smoking is prohibited on all AE flights?	Yes
1.00.0	SRRs: A.522i(5)	☐ No, Explain ☐ Not Applicable
1.54.	Does the certificate holder s Passenger Handling process include instructions	

	and information for substituting an employee in the place of a flight crew member that is listed in the flight s flight release, and is required to be on duty in the cockpit all times during AE operations, include that any person who substitutes for a flight crewmember on duty in the cockpit is required to qualified by:  SRRs: A.522j(1); A.522j(2)	
1.54.1	Being in the cockpit on duty at all times?	☐ Yes ☐ No, Explain
	SRRs: A.522j(2)	☐ Not Applicable
1.54.2	Being knowledgeable of the emergency equipment and procedures necessary to coordinate with other crewmembers and ground crew, and be able to use the airplane radio communication equipment to call for fire and rescue services in an emergency?  SRRs: A.522j(2)(a)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.54.3	Being knowledgeable of the aircraft electrical system including appropriate circuit breakers and properly manage the external power system?  SRRs: A.522j(2)(b)	Yes No, Explain Not Applicable
1.54.4	Being knowledgeable of, and be able to accomplish fuel, oil, oxygen and other servicing procedures if servicing is permitted during substitute?  SRRs: A.522j(2)(c)	Yes No, Explain Not Applicable
1.54.5	Being able to locate and operate emergency exits to include slide packs where used?  SRRs: A.522j(2)(d); A.522j(4)(a)	Yes No, Explain Not Applicable
1.54.6	Being able to match fire extinguisher with class of fire and be able to operate each type of extinguisher?  SRRs: A.522j(2)(d); A.522j(4)(a)	☐ Yes ☐ No, Explain ☐ Not Applicable
1.54.7	Being knowledgeable in ground fire fighting procedures to include emergency evacuation?	☐ Yes ☐ No, Explain
	SRRs: A.522j(2)(d); A.522j(4)(a)	☐ Not Applicable
1.55.	Does the certificate holder's Passenger Handling process comply with the guidance contained in FAA Order 8900.1, Volume 14, Chapter 2, Section 1?	Yes No, Explain Not Applicable
	Related Design JTIs:	
	<ol> <li>Check that the certificate holder's manual has information and instructions to personnel on how they will handle passengers who do not comply with smoking prohibitions.</li> </ol>	
	Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel on how passengers, who are not complying with the no-smoking rules, are to be approached using non-threatening methods/actions, and without the involvement of other passengers.</li> </ol>	
	Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system has information and instructions to personnel on how non-compliant passengers who refuse to identify themselves will be handled by having the pilot-in-command notify the operator that there is a non-compliant passenger on board who refuses to identify himself/herself, and request that the operator</li> </ol>	

	••	how passenger briefings and demonstrations are representative of the oxygen systems used on a flight. Emphasis should be given to the location of passenger oxygen (ie, overhead units, seatbacks, and bulkheads), proper placing of mask on the face, use of adjustment	
1	1.	Check that the certificate holder's manual has procedures specifying	
	Section 5, Section 6?  Related Design JTIs:		☐ Not Applicable
1.56.	guidan	ne certificate holder's Passenger Handling process comply with the ce contained in FAA Order 8900.1, Volume 3, Chapter 23, Section 4,	Yes No, Explain
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
		Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
		meet the flight at the gate.	
	8.	Check that the Certificate Holder's manual system has information and instructions to personnel how when handling abusive passengers, the appropriate information should be obtained and the PIC should notify the operator and request that the appropriate law enforcement officials	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
	7.	Check that the Certificate Holder's manual system has information and instructions to personnel how they will handle physically abusive, non-compliant passengers. (e.g. passenger becomes physically abusive either toward another passenger or crewmember, or if a passenger has to be physically restrained).	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
	6.	Check that the Certificate Holder's manual system has information and instructions to personnel that the PIC and/or flight attendant in charge of the cabin should fill out a report on passenger non-complance incidents which, if feasible, both of them should sign and this report should be sent to the person designated by the operator to receive such reports and forwarded to the FAA CHDO.	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
	5.	Check that the Certificate Holder's manual system has information and instructions to personnel to report to the FAA in a timely manner non-compliance with the smoking regulations.	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		seated in the vicinity of the smoker as witnesses.  Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
		passenger refuses to extinguish a cigarette. The procedure should provide for identifying information to include: (1) Picture ID, (2) Address, (3) Physical description, (4) Seat number, (5) Boarding location, and (6) Names and addresses of any traveling companions. Operators must obtain the names and addresses of other passengers	
	4.	Check that the Certificate Holder's manual system has procedures to notify the flight crew if a passenger is suspected of smoking in the lavatory, of tampering with the lavatory smoke detector, or if the	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
		have law enforcement officials meet the flight at the gate.  Sources: FAA Order 8900.1, Vol 14, Ch 2, Sec 1, Para 14-155	
		have law enforcement officials meet the flight at the gate	

		straps, and indications of oxygen flow (reservoir bag).  Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1806	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	2.	Check that the certificate holder's manual has information and instructions to personnel on how information printed on passenger briefing cards includes instructions to personnel for the use of the passenger chemical supplemental oxygen system. This should include donning techniques, adjustment requirements, and any action	
		necessary to initiate oxygen flow.	
		Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 6, Para 3-1856 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	3.	Check that the certificate holder's manual has procedures how it will ensure that crewmembers have the ability to manually open each type of oxygen mask compartment, deploy oxygen masks, identify compartments with additional oxygen masks, implement immediate action decompression procedures, and reset the system if applicable. <i>Sources:</i> FAA Order 8900.1, Vol 3, Ch 23, Sec 4, Para 3-1800	
	4.	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) Check that the Certificate Holder's manual system has crewmember duties and procedures for the handling of passengers applicable to the specific type of aircraft and operation, including, but not limited to: (1) Infants, Children, and Unaccompanied Minors - Designation of seating locations, designation of additional oxygen masks, infant and child life vest locations, and bassinet seat locations; (2) Passengers Needing Special Assistance - Procedures for the handling of onboard wheelchairs and special aircraft accommodations, such as accessible lavatories and moveable armrests, procedures for the carriage of stretchers and incubators, description of recommended alternate locations for administering medical assistance; (3) Passengers Needing Special Accommodation - Prisoners, VIP's, Deportees, Runaways, Persons traveling without visas, and other designated unescorted individuals.  Sources: FAA Order 8900.1, Vol 3, Ch 23, Sec 5, Para 3-1234  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.57.	Does the certificate holder's Passenger Handling process comply with the guidance contained in FAA Order 8900.1, Volume 3, Chapter 33, Section 3, Section 6?		☐ Yes ☐ No, Explain ☐ Not Applicable
	Related	d Design JTIs:	
	1.	Check that the certificate holder's manual has information and instructions to personnel to ask the age of any child.	
		Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3569	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	2.	Check that the certificate holder's manual has information and instructions to personnel to ensure a child restraint system is not located one row forward of, or one row aft of, or in an emergency exit row.	
		Sources: Reservations are a part of the interface for this item; FAA Order 8900.1, Volume 3, Chapter 33, Section 6, Paragraph 3-3558	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	

 Check that the certificate holder's manual has information and instructions to personnel to ensure that the child restraint system will not be placed in any aircraft aisle seat unless the seat next to the child is occupied by the attendants responsible for the child or other family members

Sources: Reservations are a part of the interface for this item; FAA Order 8900.1, Volume 3, Chapter 33, Section 6, Paragraph 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)

4. Check that the certificate holder's manual has information and instructions to personnel to ensure that booster seats (those seats that do not have backs) are not authorized or used in the air carrier's operations.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.6(OP)

5. Check that the certificate holder's manual has information and instructions to personnel to ensure that when it supplies a child restraint system, it is free of any obvious defects, functions properly, and the restraint system is properly installed.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

6. Check that the certificate holder's manual has information and instructions that during an emergency evacuation, the child/infant seat should remain attached to the passenger seat, and only the child should be removed from the aircraft.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

7. Check that the certificate holder's manual has information and instructions to personnel how the responsible personnel check with the parent to ensure the approved child restraint system is correctly installed and the child is properly restrained in the child restraint system.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

8. Check that the certificate holder's manual has information and instructions to personnel how to verify that child restraint systems have a solid back and seat, and contain restraint straps that securely hold a child in the restraint system.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

9. Check that the certificate holder's manual has information and instructions to personnel how it will ensure that child/infant seats are not used in sideward facing passenger seats.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

10. Check that the certificate holder's manual has information that rules do not permit the use of safety belt extensions attached to an adult's seatbelt to restrain a lap child under the age of two during takeoff, landing or movement on the surface.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3558 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

11. Check that the certificate holder's manual has information and

instructions to personnel to ensure seatbacks are in a fully upright position, not in a reclining position, for takeoff and landing, so as to assure the degree of safety intended for emergency evacuation. Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 3, Para 3-3482 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)

12. Check that the certificate holder's manual has information and instructions to personnel specifying how it will ensure that the armrests are in the normal forward/down position to ensure they do not protrude aft of the seatback and obstruct the passageway between a seat to the aisle or emergency exit for takeoff and landing.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 3, Para 3-3483 Interfaces: 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

- 13. Check that the certificate holder's manual has information and instructions to personnel that when the seatbelt sign is turned on, responsible crewmembers should make an announcement which should advise passengers that when the seatbelt sign is illuminated, Federal Regulations require passengers to fasten their seatbelts. Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3561 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)
- 14. Check that the certificate holder's manual tells crewmembers that that when the seatbelt sign is illuminated, the responsible crewmembers should periodically remind passengers the seatbelt sign is lighted. Additional and forceful announcements should be made if passengers stand when the seatbelt sign is ON.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3561 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

15. Check that the certificate holder's manual has information and instructions to personnel specifying communication and coordination signals between all crewmembers which will be used to alert flight attendants during turbulent conditions and indicating when: -- Flight attendants are to cease in-flight service -- Flight attendants are to secure galley -- Flight attendants are to be seated with restraints fastened -- Flight attendants are to resume duties.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3567 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

16. Check that the certificate holder's manual has information and instructions to personnel that when flight attendants determine that turbulence is too severe for continuing service they will take their seats, fasten their restraints, and notify flight crewmembers regarding this action.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3567 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

17. Check that the certificate holder's manual has information and instructions to personnel to have crewmembers make announcements to forewarn passengers of pending situations which will require them to comply with the seatbelt sign being turned on such as, expected turbulence or approaching destination.

Sources: FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3567 Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

18. Check that the certificate holder's manual has procedures that an oral briefing will be conducted to inform passengers if different types of

	19.	flotation equipment are available. They must also be briefed on the methods of donning and operation of individual flotation devices. <i>Sources:</i> FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3575 <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) Check that the certificate holder's manual has information that if an aircraft is equipped with different types of flotation equipment, each different type of equipment should be explained on the passenger information cards. If each cabin section uses a different information card, ensure that the equipment and the card match. The different methods of donning and or the operation of the individual flotation means should be depicted on the card. <i>Sources:</i> FAA Order 8900.1, Vol 3, Ch 33, Sec 6, Para 3-3575 <i>Interfaces:</i> 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.58.	Does the certificate holder's Passenger Handling process comply with the guidance contained in Advisory Circular (AC) 120-32?  Related Design JTIs:		☐ Yes ☐ No, Explain ☐ Not Applicable
	1.	Check that the Certificate Holder's manual system has procedures how non ambulatory handicapped passengers should be seated in aisle seats where they would be near the end of lines of passengers being evacuated at floor level, non overwing exits.	
		Sources: AC 120-32 9.a. AC 120-32 9.c.	
	2.	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	2.	Check that the Certificate Holder's manual system has information and instructions to personnel how two non ambulatory passengers with attendants should not be seated directly across the aisle from each other because their attendants would interfere with each other while attempting to remove non ambulatory passengers from their seats during an emergency.  Sources: AC 120-32 9.a.	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	3.	Check that the Certificate Holder's manual system has information and instructions to personnel that the gate agent will determine what amount of assistance a non ambulatory passengers will require to evacuate the aircraft.	
		Sources: AC 120-32 9.b.  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)	
	4.	Check that the Certificate Holder's manual system has information and instructions to personnel how to appropriately approach handicapped passengers and provide assistance. (i.e. When a passenger is pushed in a wheelchair to the ticket counter/gate, frequently the agent will address the person pushing the chair rather than the person in the chair).	
		Sources: Reservations are a part of the interface for this element; AC 120-32 4.	
	5.	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP) Check that the Certificate Holder's manual system has information and	
	<b>.</b>	instructions to personnel how if hemiplegic (Paralysis affecting only one side of the body) passengers with a normal or strong left side, should be seated in aisle seat on the right side of the aircraft so they can readily move to their left in case of emergency evacuation. The	
		opposite would apply to persons with a strong right side. This also	

	6.	applies to passengers with an artificial limb or with an arm or leg in a cast, splint, or brace and to persons with any disability on one side of their body.  Sources: Reservations are a part of the interface for this element; AC 120-32 (3)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)  Check that the Certificate Holder's manual system has information and instructions to personnel how a passenger traveling with a guide dog will be handled to include: (1) The dog should remain with its owner throughout the flight and they should be seated in the first row of a section next to the bulkhead where there is more room for the dog. (2) If it appears that help is needed, the F/A should address the blind person quietly, identify himself as an employee of the airline and offer assistance. (3) The guide dog should not be touched or petted and flight attendants should discourage children from yielding to their natural desire to pet the dog. (4) If it is necessary to give directions to a man or woman with a guide dog, try to be specific in terms of right, left, or straight ahead so the master can direct the dog properly. (5) Should it become necessary to evacuate the aircraft, the blind person, if accompanied by a guide dog, should go down the slide with the dog in his lap. (6) It is the master's responsibility to make sure the dog is wearing its harness. (7)If the dog becomes separated during an evacuation the dog should be led by its leash to the top of the chute and pushed down after its master.  Sources: Reservations are a part of the interface for this element; AC 120-32, 6 AC 120-32 5.f.(9)  Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)	
1.59.		ne certificate holder's Passenger Handling process comply with the ce contained in AC 121-24C?	Yes No, Explain
	_	d Design JTIs:	☐ Not Applicable
	1.	Check that the Certificate Holder's manual system has information and instructions to personnel to make an announcement during flights where smoking is permitted stating that smoking of cigars and pipes is not permitted.	
		Sources: AC 121-24C Appendix 1 a.(2)(d)	
	2.	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP) Check that the certificate holder's manual has information and instructions to personnel give the pre takeoff oral briefing so that each passenger can clearly hear it and easily see required demonstrations. Flight attendants giving these briefings should speak slowly and distinctly. When there is only one flight attendant, the flight attendant should be located so the passengers can see the required oxygen demonstration, and if applicable, the demonstrations of equipment and procedures to be used in an emergency situation, and during extended over water operations. When more than one flight attendant gives the briefings and demonstrations, the flight attendants should be evenly distributed throughout the passenger cabin.  Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight	
		Attendants,	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	3.	Check that the certificate holder's manual has information and instructions to personnel how flight attendants giving the	

demonstrations will coordinate them with applicable information given in the oral briefing, be animated, and make eye contact with as many passengers as possible.

Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight Attendants.

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

4. Check that the certificate holder's manual has procedures how the pretakeoff oral briefing may be given by audio tape or videotape means when the aircraft is equipped with the necessary videotape and sound equipment.

Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight Attendants

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

5. Check that the certificate holder's manual has information and instructions to personnel how airlines using videotape presentations must ensure that screens used during these presentations that extend into the aisles are properly stowed prior to movement on the surface, takeoff, or landing.

Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight Attendants

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

6. Check that the certificate holder's manual has information and instructions to personnel how when a videotape briefing is used, flight attendants should be evenly distributed, close to their assigned flight attendant seats.

Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight Attendants,

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

 Check that the certificate holder's manual has information and instructions to personnel to use alternative briefing procedures if a videotape or audiotape presentation becomes inoperative.
 Sources: AC 121-24 C 1. Appendix 1. Part 121 Operations with Flight Attendants.

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

8. Check that the certificate holder's manual has information and instructions to personnel how before each takeoff, passengers are orally briefed on each of the following: EXIT SEATING: Include a reference to the passenger information cards. Include a request that passengers identify themselves if they do not meet the criteria or if they cannot or do not wish to perform the functions listed on the card. It is strongly recommended that carriers require crewmembers to provide a preflight personal briefing to each passenger at an exit seat. That briefing should clearly explain what each passenger should do in the event the exit might be needed and should refer each passenger to the information included on the passenger information card. FLOOR PROXIMITY EMERGENCY LIGHTING: Flight Attendants should inform passengers that emergency lights are located on or near the floor of the aircraft. ELECTRONIC DEVICES: Passengers should be informed of permissible times, conditions, and limitations when various portable electronic devices may be used. OXYGEN: Before reaching 25,000 feet, passengers should also be given instructions regarding the automatic appearance of the oxygen mask. In addition, passengers should be advised to don their own oxygen masks before assisting children with their masks. The announcement should include

	although sufficient oxygen is flowing into the bag. On smoking flights, passengers should be told to extinguish all cigarettes when the oxygen masks drop. SUPPLEMENTAL INFORMATION: Passengers should be briefed regarding passenger briefing cards and additional safety actions. Briefing should also contain instructions regarding passenger compliance with the following pretakeoff requirements: proper stowage of each passenger's carry-on baggage; securing each passenger's food and beverage tray in its stowed position; and stowing of any food, beverage, or tableware. LIFERAFTS AND SLIDE RAFTS: Flight attendants or other appropriate crewmembers must instruct passengers on liferaft and slide/raft retrieval from stowage and their preparation for use. INFORMATION ON CARDS: Flight attendants should emphasize that review of the passenger information cards is important. POSTTAKEOFF: Passengers should be briefed immediately before or after the "seatbelt" sign is turned off, that passengers should keep their seatbelts fastened while seated even if the "seatbelt" sign is turned off. The possibility of encountering unexpected turbulence should be emphasized to passengers. PRELANDING: A prelanding briefing is recommended and should include the following: seatbelts must be securely fastened; tray tables must be secured in their stowed position; seat backs must be in a fully upright position; food, beverages, or tableware must be properly stowed for landing. POSTLANDING: A postlanding briefing is recommended. A flight attendant or other appropriate crewmember should advise passengers to remain seated with seatbelts fastened until the "seatbelt" sign has been turned off. This announcement should be accompanied by an explanation that this is for their own safety and the safety of those seated around them. Passengers should also be reminded to use caution when opening the overhead bins. NOTE: Flight attendants should neither be assigned nor perform non safety-related duties during the safety briefings if those duties could obstruct t	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)	
1.60.	Does the certificate holder's Passenger Handling process comply with the guidance contained in AC 121-35?	Yes
		<ul><li>No, Explain</li><li>Not Applicable</li></ul>
1.61.	Does the certificate holder's Passenger Handling process comply with the	Yes

	guidan	ce contained in AC 121-36?	☐ No, Explain
			☐ Not Applicable
1.62.	guidan	ne certificate holder's Passenger Handling process comply with the ce contained in AC 91-62A?  d Design JTIs:	☐ Yes ☐ No, Explain ☐ Not Applicable
	1.	Check that the certificate holder's manual has information and	<u> Пиот Арріїсавіе</u>
	instructions to personnel to ensure a child restraint system is not	instructions to personnel to ensure a child restraint system is not located one row forward of, or one row aft of, or in an emergency exit	
		Sources: Reservations are a part of the interface for this item; FAA Order 8900.1, Volume 3, Chapter 33, Section 6, Paragraph 3-3558	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
	2.	Check that the Certificate Holder's manual system has information and instructions that if a child restraint system is provided, the child should be secured in the child restraint system any time the seatbelt sign is lighted and when instructed by crewmembers to fasten seatbelts.	
		Sources: AC 91-62A 8.c.	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP)	
	3.	Check that the Certificate Holder's manual system has information and instructions to personnel that a window passenger seat is the preferred location for a child restraint system.	
		Sources: Reservations are a part of the interface for this item; AC 91-62A 8.a.(1)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
	4.	Check that the Certificate Holder's manual system has information and instructions to personnel how on wide-bodied aircraft, child restraint systems are to be placed in a non-aisle seat, in a middle row of a double-aisle seat grouping.	
		Sources: Reservations are a part of the interface for this item; AC 91-62A 8.a.(2)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
	5.	Check that the Certificate Holder's manual system has information and instructions to personnel that, when practical, one child restraint system per row segment is preferable, more than one child restraint system is allowed if the children are from the same family or traveling group.	
		Sources: Reservations are a part of the interface for this item; AC 91-62A 8.a(3)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
	6.	Check that the Certificate Holder's manual system has information and instructions to personnel to ensure that the child restraint system will not block access ways and passageways to emergency exits.	
		Sources: AC 91-62A 8.a. (4)	
		Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)	
1.63	excerp	ne certificate holder's manual contain the required references to, or ts from, the operations specifications listed in the Supplemental ation section of this safety attribute inspection (SAI)?	Yes No, Explain

	SRRs: 119.43(b)	
1.64.	If the certificate holder's manual includes except from its operations specifications, are the excerpts clearly identified as part of the operations specifications?  SRRs: 119.43(b)(1)	Yes No, Explain Not Applicable
1.65.	Does the certificate holder's manual require compliance with operations specifications listed in the Supplemental Information section of this safety attribute inspection (SAI)?  SRRs: 119.43(b)(2)	Yes No, Explain
1.66.	Does the certificate holder's Passenger Handling process contain a method for keeping all persons engaged in its operations informed of the provisions of the operations specifications listed in the Supplemental Information section of this safety attribute inspection (SAI)?  SRRs: 119.43(c)	☐ Yes ☐ No, Explain
2.	Does the certificate holder's manual contain general policies for the Passenger Handling process that comply with the SRRs?  SRRs: 121.135(b)(1); 121.306(a); 121.311(a); 121.311(b); 121.311(e); 121.311(f); 121.317(a); 121.317(b); 121.317(c); 121.317(d); 121.317(e); 121.317(h); 121.317(i); 121.317(j); 121.317(l); 121.331(c); 121.340(a); 121.548; 121.550; 121.571(c); 121.573(a); 121.573(b); 121.574(b); 121.574(c); 121.575(a); 121.575(c); 121.575(d); 121.583(a); 121.583(d); 121.586(b); 121.586(c); 121.586(d); 121.571(b); 121.574(a); 121.586(a); 121.571(a); 121.575(b); 121.327(c); 121.329(c); 121.333(e); 121.583(c)	☐ Yes ☐ No, Explain
	Related Design JTIs:	
	Check that the Certificate Holder's manual system contains a policy that portable electronic devices will not be allowed to be operated on any aircraft except for those devices that have been determined to not cause interference with the navigation or communication system of the aircraft.	
	Sources: 121.135(b)(1); 121.306(a)	
	Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)	
	<ol> <li>Check that the Certificate Holder's manual system contains a policy that no airplane will be operated unless each passenger who has reached his second birthday has an approved seat or berth during takeoff, enroute flight and landing.</li> <li>Sources: 121.135(b)(1); 121.311(a)(1)</li> </ol>	
	Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	
	3. Check that the Certificate Holder's manual system contains a policy that no airplane will be operated unless each person on board the airplane who has reached his/her second birthday has a separate approved seat or berth, and an approved safety belt, during movement on the surface, during takeoff, enroute flight, and landing; except that two persons occupying a berth or multiple lounge or divan seat may share one approved safety belt during enroute flight only.  Sources: 121.135(b)(1); 121.311(a)(2); 121.311(b)	
	Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP); 4.2.6(OP)	
	4. Check that the Certificate Holder's manual system contains a policy that children who have not reached their second birthday may be held by an adult provided the child does not occupy or use any restraining device during movement on the surface, during take-off and landing.	

Sources: 121.135(b)(1); 121.311(b)(1)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.2.2(OP); 4.2.4(OP)

5. Check that the Certificate Holder's manual system contains a policy that a child accompanied by an adult can occupy an approved child restraint system furnished by the adult or Certificate Holder, provided that adult attends to the child during flight.

Sources: 121.135(b)(1); 121.311(b)(2); 121.311(b)(2)(i)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

6. Check that the Certificate Holder's manual system contains a policy that only properly placarded, approved child restraint systems are used on its airplanes.

 $Sources: 121.135(b)(1); \ 121.311(b)(2)(ii)(A); \ 121.311(b)(2)(ii)(B)(1); \\ 121.311(b)(2)(ii)(B)(2); \ 121.311(b)(2)(ii)(C); \ 121.311(b)(2)(iii)(C)$ 

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

7. Check that the Certificate Holder's manual system contains a policy that a child may not occupy booster-type child restraint systems, vest-and harness-type child restraint systems, or lap held child restraints during movement on the surface, take-off, and landing.

 $Sources: 121.135(b)(1); \ \ 121.311(b)(2)(ii)(D); \ \ 121.311(c)(1)$ 

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

8. Check that the Certificate Holder's manual system contains a policy that the approved child restraint system must be properly secured to an approved forward-facing seat or berth during movement on the surface, takeoff, and landing.

Sources: 121.135(b)(1); 121.311(b)(2)(iii)(A)

Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

 Check that the Certificate Holder's manual system contains a policy that a child must be properly secured in the approved restraint system and must not exceed the specified weight limit for the restraint system.

Sources: 121.135(b)(1); 121.311(b)(2)(iii)(B)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

10. Check that the Certificate Holder's manual system contains a policy that a child shall not be prohibited from occupying an approved child restraint system furnished by the child's parent, guardian, designated attendant, providing the child holds a ticket in an approved seat or berth, or such seat or berth is otherwise made available by the Certificate Holder for the child's use.

Sources: 121.135(b)(1); 121.311(c)(2); 121.311(c)(2)(i)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

11. Check that the Certificate Holder's manual system contains a policy that the Certificate Holder is not prohibited from providing child restraint systems.

Sources: 121.135(b)(1); 121.311(c)(3)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

12. Check that the Certificate Holder's manual system contains a policy that consistent with safe operating practices, it will determine the most appropriate passenger seat location for the child restraint systems.

Sources: 121.135(b)(1); 121.311(c)(3)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP); 4.2.6(OP)

13. Check that the Certificate Holder's manual system contains a policy

that an airplane will not takeoff or land unless each passenger seatback is in the upright position.

Sources: 121.135(b)(1); 121.311(e)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

14. Check that the Certificate Holder's manual system contains a policy that no airplane will takeoff or land when seatbacks are placed in other than the upright position for takeoff and landing, unless they do not obstruct access to emergency exits.

Sources: 121.135(b)(1); 121.311(e)(1)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)

15. Check that the Certificate Holder's manual system contains a policy that no airplane will takeoff or land when aircraft cabin seats are used for cargo, or for persons unable to sit erect for medical reasons, unless the seatback does not obstruct any passenger's access to the aisle or to any emergency exit.

Sources: 121.135(b)(1); 121.311(e)(2)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 3.1.6(OP); 4.2.4(OP); 4.2.6(OP)

16. Check that the Certificate Holder's manual system contains a policy that on airplanes, with no flight attendant, the airplane may takeoff and land as long as the flight crew instructs each passenger to place his or her seatback in the upright position for takeoff or landing.

Sources: 121.135(a)(2); 121.135(b)(1); 121.311(e)(3)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

17. Check that the Certificate Holder's manual system contains a policy that each occupant of a seat equipped with a shoulder harness or with a combined safety belt and shoulder harness must have the shoulder harness or combined safety belt and shoulder harness properly secured about that occupant during takeoff and landing, except that the shoulder harness that is not combined with a safety belt may be unfastened if the occupant cannot perform the required duties.

Sources: 121.135(b)(1); 121.311(h)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

18. Check that the Certificate Holder's manual system contains a policy that no person will operated an airplane on a non-smoking flight, unless either the "No-Smoking" passenger information signs are lighted or one or more "No-Smoking" placards are posted during the entire flight.

Sources: 121.135(b)(1); 121.317(c)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

19. Check that the Certificate Holder's manual system contains a policy that no person will operate a passenger-carrying airplane unless at least one legible sign or placard that reads "Fasten seat belt while seated" is visible from each passenger seat.

Sources: 121.135(b)(1); 121.317(d)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

20. Check that the Certificate Holder's manual system contains a policy that no person will operate an airplane unless each lavatory has a sign or placard installed that reads: "Federal Law Provides for a Penalty up to \$2,000 (\$2,200) for tampering with the smoke detector installed in this lavatory."

Sources: 121.135(b)(1); 121.317(e) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

21. Check that the Certificate Holder's manual system contains a policy that before each takeoff, passengers shall be orally briefed and that the briefing will include a statement that passengers shall comply with Federal Aviation Regulations and crewmember instructions regarding compliance with the following: Lighted passenger information signs, Posted Placards, Keeping seatbelts fastened while the "Fasten Seatbelt" sign is lighted, No smoking in any lavatory, Areas designated for safety purposes as No Smoking areas, No smoking while the No Smoking sign is lighted or No Smoking placards are posted, No tampering with, disabling or destroying any smoke detector installed in any airplane lavatory, and When, where, and under what conditions smoking is prohibited.

Sources: 121.135(b)(1); 121.571(a)(1)(i); 121.571(a)(1)(iii) Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

22. Check that the Certificate Holder's manual system contains a policy that it will provide a supply of supplemental oxygen for use in a reciprocating engine airplane, approved for passenger safety.
Sources: 121.135(b)(1); 121.327(c); 121.327(c)(1); 121.327(c)(2); 121.327(c)(3)

Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)

23. Check that the Certificate Holder's manual system contains a policy that it will provide a supply of supplemental oxygen for use in a turbine powered airplane, approved for passenger safety.

Sources: 121.135(b)(1); 121.329(c)(1); 121.329(c)(2); 121.329(c)(3) Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)

24. Check that the Certificate Holder's manual system contains a policy that when operating reciprocating engine powered, pressurized-cabin airplanes, at flight altitudes above 8,000 feet, there shall be provided, supplemental oxygen for passengers.

Sources: 121.135(b)(1); 121.331(c); 121.331(c)(1); 121.331(c)(2); 121.331(c)(2)(ii); 121.331(c)(2)(iii); 121.331(c)(2)(iii); 121.331(c)(3) Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.3(OP)

25. Check that the Certificate Holder's manual system contains a policy that when operating turbine powered airplanes with pressurized cabins at altitudes above 10,000 feet, supplemental oxygen for emergency descent and first aid, must be provided for the use of passenger cabin occupants.

Sources: 121.135(b)(1); 121.333(e); 121.333(e)(1); 121.333(e)(2) Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

26. Check that the Certificate Holder's manual system contains a policy that no person will operate an airplane unless it is equipped with life preservers or other approved flotation means provided for each seated occupant and that equipment must be within easy reach and readily removable from the airplane.

Sources: 121.135(b)(1); 121.340(a)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

27. Check that the Certificate Holder's manual system contains a policy that before each takeoff passengers shall be orally briefed on the location of emergency exits.

Sources: 121.135(b)(1); 121.571(a)(1)(ii)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

28. Check that the Certificate Holder's manual system contains a policy that before each takeoff, each passenger shall be orally briefed on the use of seatbelts, instructions on how to fasten and unfasten seatbelts, and when, where and under what conditions the safety belt must be fastened.

Sources: 121.135(b)(1); 121.571(a)(1)(iii)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

29. Check that the Certificate Holder's manual system contains a policy that passenger briefings shall include a statement that the Federal Aviation Regulations require passenger compliance with lighted passenger information signs and crewmember instructions concerning the use of safety belts.

Sources: 121.135(b)(1); 121.571(a)(1)(iii)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

30. Check that the Certificate Holder's manual system contains a policy that before each takeoff, each passenger shall be briefed on the location and use of any required emergency flotation means.

Sources: 121.135(b)(1); 121.571(a)(1)(iv)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

31. Check that the Certificate Holder's manual system contains a policy that before each takeoff, on operations that do not use flight attendants, each passenger shall be orally briefed on the placement of seatbacks in an upright position before takeoff and landing.

Sources: 121.135(b)(1); 121.571(a)(1)(v)(A)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

32. Check that the Certificate Holder's manual system contains a policy that before each takeoff, on operations that do not use flight attendants, each passenger shall be briefed on the location of survival equipment.

Sources: 121.135(b)(1); 121.571(a)(1)(v)(B)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

33. Check that the Certificate Holder's manual system contains a policy that before each takeoff, on operations that do not use flight attendants, each passenger shall be briefed, if the flight involves operations above 12,000 MSL, on the normal and emergency use of oxygen.

Sources: 121.135(b)(1); 121.571(a)(1)(v)(C)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

34. Check that the Certificate Holder's manual system contains a policy that before each takeoff, on operations that do not use flight attendants, each passenger shall be orally briefed on the location and operation of fire extinguisher.

Sources: 121.135(b)(1); 121.571(a)(1)(v)(D)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

35. Check that the Certificate Holder's manual system contains a policy that after each takeoff, immediately before or immediately after turning the seat belt sign off, an announcement shall be made that passengers should keep their seat belts fastened, while seated, even when the seat belt sign is off.

Sources: 121.135(b)(1); 121.571(a)(2)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

36. Check that the Certificate Holder's manual system contains a policy that before each takeoff a required crewmember assigned to the flight shall conduct an individual briefing of each person who may need the assistance of another person to move expeditiously to an exit in the event of an emergency.

Sources: 121.135(b)(1); 121.571(a)(3)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

37. Check that the Certificate Holder's manual system contains a policy that before each takeoff a crewmember shall brief each special handling person onboard and his attendant, if any, on: The routes to each appropriate exit, -- The most appropriate time to begin moving to an exit, -- Ask the most appropriate manner of assisting the person so as to prevent pain and further injury in the event of an emergency. This briefing does not have to be given if the person has been given the briefing on a previous leg of the flight in the same aircraft if the crewmembers on duty have been advised as to the most appropriate manner of assisting the person so as to prevent pain and further injury. Sources: 121.135(b)(1); 121.571(a)(3)(i); 121.571(a)(3)(ii);

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

38. Check that the Certificate Holder's manual system contains a policy that it will ensure that on each passenger-carrying airplane, printed cards supplementing the oral briefing will be located in convenient locations for passenger use. Each required card must contain information pertinent only to the type and model airplane used for that flight.

Sources: 121.135(b)(1); 121.571(b)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

39. Check that the Certificate Holder's manual system contains a policy that printed cards supplementing the oral briefing will contain: Diagrams of the emergency exits, methods of operating the emergency exits, and other instructions necessary for use of emergency equipment.

Sources: 121.135(b)(1); 121.571(b)(1); 121.571(b)(2)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

40. Check that the Certificate Holder's manual system contains a policy that when conducting overwater operations, if the airplane proceeds directly over water after takeoff, the overwater briefing will be done before takeoff.

Sources: 121.135(b)(1); 121.573(c)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

41. Check that the Certificate Holder's manual system contains a policy that when conducting overwater operations, if the airplane does not proceed directly over water after takeoff, no part of the overwater briefing has to be given before takeoff, but the entire briefing must be given before reaching the overwater part of the flight.

Sources: 121.135(b)(1); 121.573(d)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

42. Check that the Certificate Holder's manual system contains a policy that no person is allowed to smoke within 10 feet of oxygen storage and dispensing equipment carried for passenger medical use.

Sources: 121.135(b)(1); 121.574(b)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

43. Check that the Certificate Holder's manual system contains a policy that no person is allowed to connect or disconnect medical oxygen dispensing equipment, to or from a gaseous oxygen cylinder while any passenger is aboard the airplane.

Sources: 121.135(b)(1); 121.574(c)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP)

44. Check that the Certificate Holder's manual system contains a policy that alcoholic beverages are not to be served to any person, aboard any of its aircraft, who appears to be intoxicated.

Sources: 121.135(b)(1); 121.575(b)(1)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

45. Check that the Certificate Holder's manual system contains a policy that it will ensure that no alcoholic beverages are served to any person aboard any of its aircraft who is escorting a person, or is being escorted.

Sources: 121.135(b)(1); 121.575(b)(2)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.4(OP); 7.1.4(OP)

46. Check that the Certificate Holder's manual system contains a policy that it will not serve any alcoholic beverage to any person aboard any of its aircraft who has a deadly or dangerous weapon accessible to him while aboard the aircraft.

Sources: 121.135(b)(1); 121.575(b)(3)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 4.2.4(OP)

47. Check that the Certificate Holder's manual system contains a policy that it will not allow any person to board any of its aircraft if that person appears to be intoxicated.

Sources: 121.135(b)(1); 121.575(c)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)

48. Check that the Certificate Holder's manual system contains a policy that it shall, within five days after the incident, report to the Administrator the refusal of any person to cease drinking from a source of alcohol they brought on board, or of any disturbance caused by a person who appears to be intoxicated aboard any of its aircraft.

Sources: 121.135(b)(1); 121.575(d)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)

49. Check that the Certificate Holder's manual system contains a policy that when carrying passengers who do not have to comply with the passenger carrying requirements, it may not operate an airplane unless each person has unobstructed access from his seat to a regular or emergency exit.

Sources: 121.135(b)(1); 121.583(b)(1)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)

50. Check that the Certificate Holder's manual system contains a policy that when carrying passengers who do not have to comply with the passenger carrying requirements it may not operate an airplane unless the pilot in command has a means of notifying each person when smoking is prohibited and when safety belts must be fastened.

Sources: 121.135(b)(1); 121.583(b)(2)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)

51. Check that the Certificate Holder's manual system contains a policy

that when carrying passengers who do not have to comply with the passenger carrying requirements it may not operate an airplane unless the airplane has an approved seat with an approved safety belt for each person. The seat must be located so that the occupant is not in any position to interfere with the flight crewmembers performing their duties.

Sources: 121.135(b)(1); 121.583(b)(3) Interfaces: 1.1.1(AW); 1.3.1(AW); 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)

- 52. Check that the Certificate Holder's manual system contains a policy that when carrying passengers who do not have to comply with the passenger carrying requirements, before each takeoff, it shall ensure that all such persons have been orally briefed by the responsible crewmember on: (1) Smoking, (2) Use of seat belts, (3) Location and operation of emergency exits, (4) Use of oxygen and emergency equipment, and (5) For extended overwater operations, the location of life rafts, and the location and operation of life preservers including a demonstration of the method of donning and inflating a life preserver.

  Sources: 121.135(b)(1); 121.583(c)(1); 121.583(c)(2); 121.583(c)(3); 121.583(c)(4); 121.583(c)(5)
- 53. Check that the Certificate Holder's manual system contains a policy that it will not refuse transportation to a passenger on the basis that: The passenger may need the assistance of another person to move expeditiously to an exit in the event of an emergency or his transportation would or might be harmful to safety, unless the passenger cannot comply with the carrier's established procedures or fails to comply with reasonable notice requirements.

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP)

Sources: 121.135(b)(1); 121.586(a)(1); 121.586(a)(2)(i); 121.586(a)(2)(ii)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.2(OP); 3.1.3(OP); 4.2.4(OP); 4.2.6(OP)

54. Check that the Certificate Holder's manual system contains a policy that it shall provide the certificate-holding district office with a copy of each procedure it establishes regarding its authority to refuse transportation to a passenger needing assistance.

Sources: 121.135(b)(1); 121.586(b)

Interfaces: 2.1.2(AW); 2.1.2(OP); 3.1.3(OP); 4.2.6(OP)

55. Check that the Certificate Holder's manual system contains a policy that whenever the Administrator finds that revisions in the procedures in its authority to refuse transportation are necessary in the interest of safety or in the public interest, the Certificate Holder, after notification by the Administrator, shall make those revisions in its procedures. Within 30 days after the Certificate Holder receives such notice, it may file a petition to reconsider the notice with the certificate-holding district office. The filing of a petition to reconsider stays the notice pending a decision by the Administrator. However, if the Administrator finds that there is an emergency that requires immediate action in the interest of safety in air commerce, he may, upon a statement of the reasons, require a change effective without stay.

Sources: 121.135(b)(1); 121.586(c)

Interfaces: 3.1.4(OP)

56. Check that the Certificate Holder's manual system contains a policy that the Certificate Holder shall make available to the public at each

	airport it serves a copy of each procedure it establishes in regards to its authority to refuse transportation to a passenger needing assistance.  Sources: 121.135(b)(1); 121.586(d)  Interfaces: 4.2.6(OP)	
3.	Does the certificate holder's manual reference the appropriate Federal Aviation Regulations listed in the Supplemental Information section of this safety attribute inspection (SAI)?  SRRs: 121.135(b)(3)	☐ Yes ☐ No, Explain
4.	Does the certificate holder's manual contain the duties and responsibilities for personnel who will accomplish the Passenger Handling process?  SRRs: 121.135(b)(2)	☐ Yes ☐ No, Explain
5.	Does the certificate holder's manual include instructions and information for personnel to meet the requirements of the Passenger Handling process?  SRRs: 121.135(a)(1)	☐ Yes ☐ No, Explain

## SAI Section 1 - Procedures Attribute Drop-Down Menu

- 1. No procedures, policy, instructions or information specified.
- 2. Procedures or instructions and information do not identify (who, what, when, where, how).
- 3. Procedures, policy or instructions and information do not comply with CFR.
- 4. Procedures, policy or instructions and information do not comply with FAA policy and guidance.
- 5. Procedures, policy or instructions and information do not comply with other documentation (e.g., manufacturer's data, Jeppesen's Charts, etc.).
- 6. Procedures, policy or instructions and information unclear or incomplete.
- 7. Documentation quality (e.g., unreadable or illegible).
- 8. Procedures, policy or instructions and information inconsistent across Certificate Holder manuals (FOM Flight Operations Manual to GMM General Maintenance Manual, etc.).
- 9. Procedures, policy or instructions and information inconsistent across media (e.g., paper, microfiche, electronic).
- 10. Resource requirements incomplete (personnel, facilities, equipment, technical data).
- 11. Other.

	SAI Section 2 - Controls Attribute
ques restra writte	<b>ective:</b> Controls are checks and restraints designed into a process to ensure a desired result. The tions in this section of the DCT are designed to assist the inspector in determining if checks and aints are designed into the process to ensure the desired result is achieved. Controls should be en into the system to ensure that the most important policies, procedures, or instructions and mation will be followed.
proce regai	rols may be in the form of administrative controls, which are secondary or supplemental written edures. Like written procedures, administrative controls also need to provide answers to questions rding who, what, when, where, and how. Controls may also be in the form of engineered controls, as automated features or mechanical actions or devices (i.e., safety devices, warning devices, etc.).
Task	rs
	To meet this objective, the inspector must accomplish the following tasks:
1.	Review the control questions below.

Review the certificate holder's policies, procedures, instructions, and information to gain an

understanding of the controls that it has documented.

2.

Questions		
	To meet this objective, the inspector must answer the following questions:	
1.	Are the following controls built into the Passenger Handling process:	
1.1.	Is there a control or controls in place to ensure that no passengers are boarded who appear to be intoxicated?	☐ Yes ☐ No, Explain
1.2.	Is there a control or controls in place to ensure that no passengers are boarded who appear to present a safety risk?	☐ Yes ☐ No, Explain
1.3.	Is there a control or controls in place to ensure that passenger information cards, specific to the make and model of the aircraft, are available to all passengers?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.4.	Is there a control or controls in place to ensure that armed passengers have approval to carry weapons in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.5.	Is there a control or controls in place to ensure that all persons with disabilities are boarded and provided transportation in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.6.	Is there a control or controls in place to ensure that any passenger disturbances are handled in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.7.	Is there a control or controls in place to ensure that approved child restraint systems are boarded and handled in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.8.	Is there a control or controls in place to ensure that dangerous goods restrictions are observed?	Yes No, Explain

1.9.	Is there a control or controls in place to ensure that passengers receive all applicable required safety briefings in accordance with the certificate holder's design?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.10.	Is there a control or controls in place to ensure that all applicable requirements regarding the use of seatbelts and seatbelt/shoulder harnesses and passenger seatbacks are met?	☐ Yes ☐ No, Explain
1.11.	Is there a control or controls in place to ensure that aircraft occupants comply with the certificate holder's restrictions regarding portable electronic devices?	☐ Yes ☐ No, Explain
1.12.	Is there a control or controls in place to ensure that all applicable requirements regarding prohibition of smoking are observed?	☐ Yes ☐ No, Explain
1.13.	Is there a control or controls in place to ensure that in an extended overwater operation, all applicable requirements regarding equipment and briefings are observed?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.14.	Is there a control or controls in place to ensure that passenger information signs and required informational placards are present and are used in accordance with the certificate holder's design?	☐ Yes ☐ No, Explain ☐ Not Applicable
2.	Does the certificate holder have a documented method for assessing the impact of any changes made to the controls in the Passenger Handling process?	☐ Yes ☐ No, Explain

	SAI Section 2 - Controls Attribute Drop-Down Menu		
1.	No controls specified.		
2.	Documentation for the controls do not identify (who, what, when, where, how).		
3.	Controls incomplete.		
4.	Controls could be circumvented.		
5.	Controls could be unenforceable.		
6.	Resource requirements incomplete (personnel, facilities, equipment, technical data).		
7.	Other.		

# Objective: Process measurements are used by the certificate holder to measure and assess its processes, to identify and correct problems or potential problems, and to make improvements to the processes. The questions in this section of the DCT are designed to assist the inspector in determining if the certificate holder measures or assesses information to identify, analyze, and document potential problems with the process. Process measurements are a certificate holder's internal evaluation or auditing of the most important policies, procedures, or instructions and information associated with an element.

To prevent the duplication of work, process measurements are most commonly addressed through a combination of auditing features contained in both the certificate holder's safety program/internal evaluation program (for operations and cabin safety-related issues) and the auditing function of the Continuous Analysis and Surveillance System (for airworthiness or maintenance/inspection-related issues). The director of safety and the quality assurance department often work together to accomplish this function for the certificate holder. This approach requires amendment of the safety program/internal evaluation program audit forms or checklists and the Continuous Analysis and Surveillance System audit forms or checklists to include the specific process measurements for each element.

Tasks		
	To meet this objective, the inspector must accomplish the following tasks:	
1.	Review the process measurement questions below.	
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the process measurements that it has documented.	

Questions		
	To meet this objective, the inspector must answer the following questions:	
1.	Does the certificate holder's Passenger Handling process include the following process measurements:	
1.1.	Is there a process measurement or process measurements that would identify if the certificate holder boarded passengers who appeared to be intoxicated?	☐ Yes ☐ No, Explain
1.2.	Is there a process measurement or process measurements that would identify if the certificate holder boarded passengers who appeared to present a safety risk?	☐ Yes ☐ No, Explain
1.3.	Is there a process measurement or process measurements that would identify if the certificate holder did not make available passenger information cards, specific to the make and model of the aircraft, to all passengers?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.4.	Is there a process measurement or process measurements that would identify if the certificate holder's procedures were not observed in the boarding of armed passengers?	☐ Yes ☐ No, Explain
1.5.	Is there a process measurement or process measurements that would identify if the certificate holder failed to board and provide transportation to persons with disabilities in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain ☐ Not Applicable

1.6.	Is there a process measurement or process measurements that would identify if any passenger disturbances were not handled in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.7.	Is there a process measurement or process measurements that would identify if the certificate holder did not board and handle approved child restraint systems in accordance with the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.8.	Is there a process measurement or process measurements that would identify if the certificate holder boarded dangerous goods contrary to the certificate holder's procedures?	☐ Yes ☐ No, Explain
1.9.	Is there a process measurement or process measurements that would identify if passengers did not receive all applicable required safety briefings in accordance with the certificate holder's design?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.10.	Is there a process measurement or process measurements that would identify if applicable requirements regarding the use of seatbelts and seatbelt/shoulder harnesses and passenger seatbacks were not met?	☐ Yes ☐ No, Explain
1.11.	Is there a process measurement or process measurements that would identify if aircraft occupants did not comply with the certificate holder's restrictions regarding portable electronic devices?	☐ Yes ☐ No, Explain
1.12.	Is there a process measurement or process measurements that would identify if applicable requirements regarding prohibition of smoking were not observed?	☐ Yes ☐ No, Explain
1.13.	Is there a process measurement or process measurements that would identify, in an extended overwater operation, if applicable requirements regarding equipment and briefings were not observed?	☐ Yes ☐ No, Explain ☐ Not Applicable
1.14.	Is there a process measurement or process measurements that would identify if passenger information signs and required informational placards were not present or not used in accordance with the certificate holder's design?	☐ Yes ☐ No, Explain ☐ Not Applicable
2.	Is there a process measurement or process measurements that would reveal if the certificate holder's policy, procedures, instructions, and information were not followed?	☐ Yes ☐ No, Explain
3.	Does the certificate holder document its process measurement results?	☐ Yes ☐ No, Explain
4.	Does the certificate holder use of process measurement results to improve its programs?	Yes No, Explain
5.	Does the organization that conducts the process measurements have direct access to the person with responsibility for the Passenger Handling process?	☐ Yes ☐ No, Explain

# SAI Section 3 - Process Measurement Attribute Drop-Down Menu

- 1. No process measurements specified.
- 2. Documentation for the process measurements does not identify (who, what, when, where, how).
- 3. Inability to identify negative findings.
- 4. No provisions for implementing corrective actions.
- 5. Ineffective follow-up to determine effectiveness of corrective actions.
- 6. Resources requirements (personnel, facilities, equipment, technical data).
- 7. Other.

### **SAI Section 4 - Interfaces Attribute**

**Objective:** Interfaces are used by the certificate holder to identify and manage the interactions between processes. The questions in this section of the DCT are designed to assist the inspector in determining whether or not interactions between the policies, procedures, or instructions and information associated with other independent processes within the certificate holder's organization are documented. Written policies, procedures, or instructions and information that are interrelated and located in different areas within the certificate holder's system must be consistent and complement each other. For the interfaces to be effectively managed, the certificate holder's system should identify and document the interfaces.

Tasks		
	To meet this objective, the inspector must accomplish the following tasks:	
1.	Review the interfaces associated with the Passenger Handling process that have been identified along with the individual questions in section 1, Procedures, of this DCT.	
2.	Review the certificate holder's policies, procedures, instructions, and information to gain an understanding of the interfaces that it has documented.	

Que	Questions		
	To meet this objective, the inspector must answer the following questions:		
	NOTE: The design job task items (JTIs) displayed with the questions in section 1, Procedures, of this DCT identify potential interfaces (by element number) for this element.		
1.	Does the certificate holder's system properly address the interfaces that are identified along with the questions in section 1, Procedures, of this DCT?	☐ Yes ☐ No, Explain	
2.	Does the certificate holder document a method for assessing the impact of any changes to the associated interfaces within the Passenger Handling process?	☐ Yes ☐ No, Explain	

# SAI Section 4 - Interfaces Attribute Drop-Down Menu

- 1. No interfaces specified.
- 2. The following interfaces not identified within the Certificate Holder's manual system:
- 3. Interfaces listed are inaccurate.
- 4. Specific location of interfaces not identified within the manual system.
- 5. Other

### SAI Section 5 - Management Responsibility & Authority Attributes

**Objective:** The questions in this section of the DCT address the responsibility and authority of the process. They are designed to assist the inspector in determining if there is a clearly identifiable, qualified, and knowledgeable person who is responsible for the process, is answerable for the quality of the process, and has the authority to establish and modify the process. (The person with the authority may or may not be the person with the responsibility.)

may of may not be the person with the responsibility.			
Tasks			
	To meet this objective, the inspector must accomplish the following tasks:		
1.	Identify the person who has overall responsibility for the Passenger Handling process.		
2.	Identify the person who has overall authority for the Passenger Handling process.		
3.	Review the duties and responsibilities of the person(s) documented in the certificate holder's manual.		
4.	Review the appropriate organizational chart.		

Questions			
	To meet this objective, the inspector must answer the following questions:		
1.	Does the certificate clearly identify who is responsible for the quality of the Passenger Handling process?	☐ Yes ☐ No, Explain Name/Title:	
2.	Does the certificate holder clearly identify who has authority to establish and modify the policies, procedures, instructions, and information for the Passenger Handling process?	Yes No, Explain Name/Title:	
3.	Does the certificate holder's manual include the duties and responsibilities of those who manage the work required by the Passenger Handling process?  SRRs: 121.135(b)(2)	Yes No, Explain	
4.	Does the certificate holder's manual include instructions and information for those who manage the work required by the Passenger Handling process? SRRs: 121.135(a)(1)	Yes No, Explain	
5.	Does the certificate holder clearly and completely document the responsibility for this position?	☐ Yes ☐ No, Explain	
6.	Does the certificate holder clearly and completely document the authority for this position?	☐ Yes ☐ No, Explain	
7.	Does the certificate holder clearly and completely document its qualification standards for the person having responsibility for the Passenger Handling process?	Yes No, Explain	
8.	Does the certificate holder clearly and completely document its qualification standards for the person having authority to establish and modify the certificate holder's policies, procedures, instructions, and information for the Passenger Handling process?	☐ Yes ☐ No, Explain	
9.	Does the certificate holder clearly and completely document the procedures for delegation of authority for the Passenger Handling process?	Yes No. Explain	

# SAI Section 5 - Management Responsibility & Authority Attributes Drop-Down Menu

- 1. Not documented.
- 2. Documentation unclear.
- 3. Documentation incomplete.
- 4. Other.